


A/1

6✓

RB63579



Library
of the
University of Toronto



Digitized by the Internet Archive
in 2018 with funding from
University of Toronto

<https://archive.org/details/listofbritishdip00verr>

2nd Edition.

A
LIST
OF
BRITISH DIPTERA.

By G. H. VERRALL,
EX-PRESIDENT
OF
THE ENTOMOLOGICAL SOCIETY OF LONDON.

Cambridge :
PRINTED AT THE UNIVERSITY PRESS.
DECEMBER
1901

PART I.

Cambridge :

PRINTED BY J. AND C. F. CLAY,
AT THE UNIVERSITY PRESS.

2nd Edition.

A
LIST
OF
BRITISH DIPTERA.

By G. H. VERRALL,

FELLOW OF THE ENTOMOLOGICAL SOCIETY OF LONDON.

Cambridge :
PRINTED AT THE UNIVERSITY PRESS.
1901

PREFACE.

A SECOND Edition of the "List of British Diptera" has become imperative, not only because the First Edition is exhausted, but because of the numerous additions, subtractions, and alterations. About 300 species have been added to the old "List," and about 500 names have been altered in some way or other, such as being confirmed as British, placed under a different genus, changed in synonymy, &c. Beyond that numerous other changes have been suggested which have not been at present adopted, as I have refused to make any change which might upon being tested have to go back to the previous name.

The "List" of 1888 was entirely my own composition, but as a proof of the increased attention now given to British Diptera I have to thank Messrs N. Rothschild, Theobald, Austen, Wainwright, Collin, and many others, for assistance in forming this "List."

A few words of explanation may be of use as to the value of this "List" in certain families :

Cecidomyidæ ; no attempt has been made to cope with the vast increase in genera and species which have been added to the European Fauna in the last few years, because no British worker has attended to this family ; the alphabetical order of species and the old genera have been retained, and only specially recorded species have been added.

Mycetophilidæ ; this family, though much improved, is still in a most unfinished condition.

Chironomidæ; I hope to make this the third volume of "British Flies," in which case I can say that probably over a hundred new British species will be added, and consequently I have unloaded the burden of most of Walker's *names* (not species!) to the Expurgated List.

Stratiomyidæ to *Cyrtidæ*; these families are intended to be included in the second volume of "British Flies," which is now considerably worked out.

Tachinidæ; the nomenclature and arrangement of this family have been revolutionised, but are still very far from being complete, though the improved arrangement will undoubtedly be of assistance to students.

Numerous unrecorded British species are included in this Second Edition of which records will probably soon appear; at present such species stand only on a level with those recorded in the catalogues of Curtis and Stephens.

I have great hope that the increased interest in British *Diptera* will soon enable us to have Faunal Lists almost as accurate as those which are possessed by at least the *Coleoptera* &c., even if we cannot hope to equal those of the *Lepidoptera*.

The imperfections of this "List" are as fully recognised as they were in the "List" of 1888, but the improvements are obvious. A fairly complete "List" could be issued if only some sharp-sighted young Entomologist would master the *Cecidomyidæ*.

I may well repeat the words used at the conclusion of the preface of the First Edition of my "List of British Diptera" and say again "let this list quickly give place to another."

G. H. VERRALL.

SUSSEX LODGE, NEWMARKET,

December, 1901.

BRITISH DIPTERA.

ORTHORRHAPHA.

NEMATOCERA.

PULICIDÆ.

PULEX, L.

irritans, L.
canis, Curt.
felis, Bouché.
erinacei, Bouché.
goniocephalus, Taschb.

TRICHOPSYLLA,
Kolen.

fasciatus, Bosc.
sciurorum, Bouché.
melis, Wlk.
mustelæ, Wagner.
penicilliger, Grube.
lagomys, Wagner?
gallinæ, Schrk.
hirundinis, Curt.
columbæ, Walck.
styx, Rothsch.
Newsteadi, Rothsch.

TYPHLOPSYLLA,
Taschb.

agertes, Heller.
var. nobilis, Rothsch.
dasycnemus, Rothsch.
bisectodentatus, Kolen.
gracilis, Taschb.
pentacanthus, Rothsch.

CTENOPSYLLUS,
Kolen.

musculi, Dugés.
spectabilis, Rothsch.

HYSTRICHOPSYLLA,
Taschb.

talpæ, Curt.
obtusiceps, Rits.

CERATOPSYLLUS,
Curt.

elongatus, Curt.
intermedius, Rothsch.
jubatus, Wagner.
octactenus, Kolen.
hexactenus, Kolen.
pentactenus, Kolen.

CECIDOMYIDÆ.

CECIDOMYINÆ.

LASIOPTERA, Mg.

obfuscata, Mg.
fuliginosa, Steph.
stygia, Mg.
albipennis, Mg.
rubi, Schrk.

ASPHONDYLIA, Lw.

pimpinellæ, F. Lw.
genistæ, Lw.
sarrothamni, Lw.
ulicis, Traill.

CECIDOMYIA, Mg.

acrophila, Winn.
alpina, F. Lw.
betulæ, Winn.
brassicæ, Winn.
bursaria, Bremi.
campanulæ, Müll.
cardaminis, Winn.
cerastii, Binnie.

clausilia, Meade.
corrugans, F. Lw.
cratægi, Winn.
destructor, Say.
euphorbiæ, Lw.
filicina, Kief.
pteridis, Müll.
foliorum, Lw.
galeobdolonitis, Winn.
galii, Lw.
Giraudi, Frfld.
heraclei, Kltb.
heterobia, Lw.
lathyri, Frfld.
marginemtorquens, Bremi.
medicaginis, Bremi.
muricatæ, Meade.
onobrychidis, Bremi.
persicariæ, L.
pilosellæ, Binnie.
plicatrix, Lw.
potentillæ, F. Lw.
pruni, Kltb.
pustularis, Bremi.
pyri, Bouché.
quercus, Binnie.
ranunculi, Bremi.
rhododendri, Vallot.
rosaria, Lw.
rosarum, Hardy.
salicina, Schrk.
saliciperda, Duf.
salicis, Schrk.
serotina, Winn.
sisymbrii, Schrk.
taxi, Inch.
terminalis, Lw.
thalietri, Traill.
tiliæ, Schrk.

One specimen & More than one, & Full Series

tornatella, *Bremi.*
 trifolii, *F. Lw.*
 tubicola, *Kief.*
 ulmariae, *Bremi.*
 urticae, *Perris.*
 veronicae, *Vallot.*
 violae, *F. Lw.*

DIPLOSIS, *Lw.*

betulina, *Kief.*
 botularia, *Winn.*
 buxi, *Laboulb.*
 callida, *Winn.*
 centralis, *Winn.*
 coniophaga, *Winn.*
 dryobia, *F. Lw.*
 flava, *Mg.*
 fraxinella, *Meade.*
 helianthemii, *Hardy.*
 jacobææ, *Lw.*
 linariae, *Winn.*
 loti, *Deg.*
 pini, *Deg.*
 pyrivora, *Riley.*
 tremulae, *Winn.*
 tritici, *Kirby.*
 verna, *Curt.*
 volvens, *Kief.*

SCHIZOMYIA, *Kief.*

galiorum, *Kief.*

HORMOMYIA, *Lw.*

abrotani, *Traill.*
 annulipes, *Hart.*
 piligeræ, Lw.
 capreæ, *Winn.*
 corni, *Gir.*
 fagi, *Hartig.*
 fasciata, *Mg.*
 Fischeri, *Frfld.*
 juniperina, *L.*
 millefolii, *Lw.*
 poæ, *Bosc.*
 ptarmicæ, *Vallot.*
 rubra, *Kief.*

DIRRHIZA, *Lw.*

rhodophila, *Hardy.*

EPIDOSIS, *Lw.*

longipes, *Lw.*

WINNERTZIA, *Rnd.*
 tenella, *Wlk.*

LESTREMINÆ.

CAMPYLOMYZA, *Mg.*

flavipes, *Mg.*
 bicolor, *Mg.*
 halterata, *Ztt.*
 aceris, *Mg.*
 brevipennis, *Wlk.*

MICROMYIA, *Rnd.*

globifera, *Hal.*

CATOCHA, *Hal.*

latipes, *Hal.*
 brevinervis, *Ztt.*

LESTREMIA, *Mcq.*

leucophæa, *Mg.*
 cinerea, *Mcq.*
 carnea, *Mcq.*
 fusca, *Mg.*

MYCETOPHILIDÆ.

SCIARINÆ.

SCIARA, *Mg.*

X Thomæ, *L.*
 carbonaria, *Mg.*
 præcox, *Mg.*
 brunnipes, *Mg.*
 quinquelineata, *Mcq.*
 bilineata, *Stæg.*
 confinis, *Winn.*
 macilentæ, *Winn.*
 fuscipennis, *Mg.*
 fucata, *Mg.*
 pulicaria, *Mg.*
 flavipes, *Pz.*
 hyalipennis, *Mg.*
 pallipes, *F.*
 nitidicollis, *Mg.*
 caudata, *Wlk.*
 vitripennis, *Mg.*
 minima, *Mg.*
 scatopsoides, *Mg.*
 extrema, *Wlk.*
 fenestrata, *Mg.*
 longipes, *Mg.*

aprilina, *Mg.*
 pusilla, *Mg.*
 gracilis, *Wlk.*
 pallida, *Wlk.*
 compressa, *Wlk.*

X ~~bicolor~~ *Mg.*
 tilicola, *Lw.*

TRICHOSIA, *Winn.*

splendens, *Winn.*
 absurda, *Winn.*

BRADYSIA, *Winn.*

brevipennis, *Wlk.*
 angustipennis, *Winn.?*

EPIDAPUS, *Hal.*

venaticus, *Hal.*

ZYGONEURA, *Mg.*

X sciarina, *Mg.*

MYCETOPHILINÆ.

CORDYLA, *Mg.*

X crassicornis, *Mg.*
 flaviceps, *Stæg.*
 semiflava, *Stæg.*
 brevicornis, *Stæg.*
 fasciata, *Mg.?*

DYNATOSOMA, *Winn.*

fuscicorne, *Mg.*
X nigricoxa, *Ztt.*

MYCETOPHILA, *Mg.*

X punctata, *Mg.*
 lineola, *Mg.*
 stolidæ, *Wlk.*
 pumila, *Winn.*
 uninotata, *Ztt.*
 unicolor, *Stan.*
 nigrifolia, *Wlk.*
 vittipes, *Ztt.*
 bimaculata, *F.*
 luctuosa, *Mg.*
 lutescens, *Ztt.*
 obscura, *Dzied.*
X signata, *Mg.*
X lunata, *Mg.*
 reciproca, *Wlk.*
 cingulum, *Mg.*
nebulosa Stan.

TRICHONTA, Winn.

X *Spec. plures.*

RHYMOSIA, Winn.

X *fasciata*, Mg.
cristata, Stæg.
truncata, Winn.
maculosa, Mg.
fenestralis, Mg.
selecta, Wlk.
sericea, Mcq.

EXECHIA, Winn.

X *leptura*, Mg.
fungorum, Deg.
lateralis, Mg.
tenuicornis, v. d. Wulp.
dorsalis, Stæg.
interrupta, Ztt.
indecisa, Wlk.
spinigera, Winn.
tarsata, Stæg.
leioides, Wlk.
ferruginea, Wlk.
flava, Wlk.
fuscata, Ztt.

ALLODIA, Winn.

X *ornaticollis*, Mg.
crassicornis, Stan.
sobria, Wlk.
conformis, Wlk.
terminalis, Wlk.
finalis, Wlk.

MYCOTHERA, Winn.

semifusca, Mg.
dimidiata, Stæg.
ocellus, Wlk.?

BRACHYCAMPTA,
Winn.

alternans, Winn.
bicolor, Mcq.
serena, Winn.
amœna, Winn.
hastata, Winn.
griseicollis, Stæg.

DOCOSIA, Winn.

X *sciarina*, Mg.
valida, Winn.
Megophthalmidia
crassicornis, Curt. *Dzied.*

ANATELLA, Winn.

gibba, Winn.
ciliata, Winn.

PHRONIA, Winn.

nitidiventris, v. d. Wulp.
signata, Winn.
austriaca, Winn.
flavipes, Winn.
basalis, Winn.
cinerascens, Winn.
forcipula, Winn.
crassipes, Winn.
Girschneri, Dzied.
dubia, Dzied.

SCEPTONIA, Winn.

X *nigra*, Mg.

ZYGOMYIA, Winn.

valida, Winn.
notata, Stan.
pictipennis, Stæg.
vara, Stæg.
paludosa, Stæg.

AZANA, Wlk.

anomala, Stæg.

ACNEMIA, Winn.

X *nitidicollis*, Mg.
amœna, Winn.
defecta, Wlk.

CELOSIA, Winn.

flava, Stæg.

ALLOCOTOCERA, Mik.

X *pulchella*, Curt.GLAPHYROPTERA,
Winn.

X *fascipennis*, Mg.
subfasciata, Mg.
fasciola, Mg.

X *Winthemii*, Lehm.
bimaculata, Mg.
picta, Mg.
octomaculata, Curt.
fumosa, Wlk.
basalis, Wlk.
infera, Wlk.
parallela, Wlk.
pubescens, Wlk.
diversa, Wlk. X *Megophthalmidia*
crassicornis Curt.

LEIA, Mg.

X *elegans*, Winn.

ANACLINIA, Winn.

X *nemoralis*, Mg.

BOLETINA, Stæg.

X *trivittata*, Mg.
Winnertzii, Dzied.
dubia, Stæg.
sciarina, Stæg.
borealis, Ztt.
plana, Wlk.
nalis, Mg.

LEPTOMORPHUS,
Curt.X *Walkerii*, Curt.

SCIOPHILINÆ.

EMPALIA, Winn.

X *vitripennis*, Mg.POLYLEPTA, Winn.
splendida, Winn.

EMPHERIA, Winn.

pictipennis, Hal.
compressa, Wlk.
aliena, Wlk.

TETRAGONEURA,
Winn.

hirta, Winn.
sylvatica, Curt.
melanoceras, Hal.

LASIOSOMA, Winn.

luteum, Mcq.
rufilaterum, Wlk.

hirtum, Mg.
ochraceum, Wlk.
maura, Wlk.
fenestella, Curt.
rufum, Mg.

MONOCLONA, Mik.

halterata, Stæg.
unicornuta, Dzied.

SCIOPHILA, Mg.

tenuis, Wlk.
hyalinata, Mg.
marginata, Mg.
fasciata, Ztt.
occultans, Winn.
hilaris, Wlk.
cinerascens, Ztt.
exigua, Winn.
tumida, Winn.
fraterna, Winn.
congrua, Wlk.
trivittata, Ztt.
cingulata, Mg.
ornata, Mg.
fimbriata, Mg.
ferruginea, Mg.
ruficollis, Ztt.
punctata, Mg.
trilineata, Ztt.
incisurata, Ztt.

CEROPLATINÆ.

ASINDULUM, Ltr.

flavum, Winn.

PLATYURA, Mg.

marginata, Mg.
atrata, F.
semirufa, Mg.
cincta, Winn.
nana, Mcq.
mycetophiloides, Wlk.
nigriceps, Wlk.
vitripennis, Wlk.
antica, Wlk.
fasciata, Ltr.
flavipes, Mg.
unicolor, Wlk.
servula, Wlk.
discoloria, Mg.
concisa, Wlk.

CEROPLATUS, Bosc.

lineatus, F.
tipuloides, F.

MACROCERINÆ.

MACROCERA, Pz.

fasciata, Mg.
crassicornis, Winn.
lutea, Mg.
pusilla, Mg.
vittata, Mg.
centralis, Mg.
angulata, Mg.
stigma, Curt.
phalerata, Mg.

BOLITOPHILINÆ.

BOLITOPHILA, Mg.

Saundersii, Curt.
fusca, Mg.
tenella, Winn.
cinerea, Mg.

MYCETOBINÆ.

MYCETOBIA, Mg.

pallipes, Mg.

DITOMYIA, Winn.

fasciata, Mg.

PLESIASTINA, Winn.

annulata, Mg.
vittata, Wlk.

DIADOCIDINÆ.

DIADOCIDIA, Ruthé.

ferruginosa, Mg.

BIBIONIDÆ.

ANARETE, Hal.

candidata, Hal.

SCATOPSE, Geoff.

notata, L.
bifilata, Hal.
geniculata, Ztt.
pulicaria, Lw.
scutellata, Lw.

flavicollis, Mg.
incompleta, Verr.
tristis, Ztt.
infumata, Hal.
integrata, Wlk.
simplex, Wlk.
albitarsis, Ztt.
transversalis, Lw.
inermis, Ruthé.
talpæ, Verr.
coxendix, Verr.
halterata, Mg.
platyscelis, Lw.
clavipes, Lw.
minutissima, Verr.
recurva, Lw.
subnitens, Verr.
brevicornis, Mg.

ASPISTES, Mg.

berolinensis, Mg.

DILOPHUS, Mg.

febrilis, L.
albipennis, Mg.
humeralis, Ztt.

BIBIO, Geoff.

pomonæ, F.
Marci, L.
leucopterus, Mg.
hortulanus, L.
anglicus, Verr.
ferruginatus, Gmel.
venosus, Mg.
reticulatus, Lw.
nigriventris, Hal.
varipes, Mg.
laniger, Mg.
Johannis, L.
lacteipennis, Ztt.
lepidus, Lw.
clavipes, Mg.

SIMULIDÆ.

SIMULIUM, Ltr.

ornatum, Mg.
reptans, L.
maculatum, Mg.
latipes, Mg.
nanum, Ztt.

CHIRONOMIDÆ.**CORYNONEURA,**

Winn.

minuta, Winn.*atomaria*, Ztt.**THALASSOMYIA,**

Schin.

Frauenfeldi, Schin.**CHIRONOMUS, Mg.***plumosus*, L.*ferrugineovittatus*, Ztt.*prasinus*, Mg.*viridicollis*, v. d. Wulp.*annularis*, Deg.*pallens*, Mg.*riparius*, Mg.*tendens*, F.*flaveolus*, Mg.*dorsalis*, Mg.*aprilinus*, Mg.*flavimanus*, Mg.*anthracinus*, Ztt.*tentans*, F.*scalænus*, Schrk.*rufipes*, L.*flexilis*, L.*chloris*, Mg.*dispar*, Mg.*pedellus*, Deg.*pedestris*, Mg.*fuscipennis*, Mg.*psittacinus*, Mg.*viridis*, Mcq.*brev. tibialis*, Ztt.*viridulus*, L.*paganus*, Mg.*nigrimanus*, Stæg.*biannulatus*, Stæg.*virescens*, Mg.*pusillus*, L.*prasinatus*, Stæg.*pictulus*, Mg.*histrion*, F.*albimanus*, Mg.*nubeculosus*, Mg.*nubilus*, Mg.*albipennis*, Mg.*rufovittatus*, Stæg.*glabricollis*, Mg.*longipes*, Stæg.*nervosus*, Stæg.*sulphuricollis*, Mg.*lividus*, Mg.*maculipennis*, Mg.*vagans*, Mg.*opacus*, Mg.*brunnipes*, Ztt.*albidus*, Mg.*perennis*, Mg.*lugubris*, Ztt.*leucopus*, Mg.*carbonarius*, Mg.*nemoralis*, Ztt.*stramineipes*, Ztt.**CRICOTOPUS, v. d.**

Wulp.

tremulus, L.*pulchripes*, Verr.*tibialis*, Mg.*motitator*, L.*pilitarsis*, Ztt.*ephippium*, Ztt.*bicinctus*, Mg.*annulipes*, Mg.*sylvestris*, F.*venosus*, Mg.*rubicundus*, Mg.*plebeius*, Mg.**ORTHOCLADIUS,**

v. d. Vulp.

dolens, Wlk.*variabilis*, Stæg.*albolineatus*, Mg.*olivaceus*, Mg.*testaceus*, Mcq.*barbicornis*, F.*sordidellus*, Ztt.*frigidus*, Ztt.*notatus*, Mg.*stercorarius*, Deg.*lucens*, Ztt.*minutus*, Ztt.*melaleucus*, Mg.*pygmæus*, Mg.*ictericus*, Mg.**CAMPTOCLADIUS,**

v. d. Wulp.

aterrimus, Mg.*byssinus*, Schrk.*minus*, Mg.**TANYTARSUS, v. d.**

Wulp.

punctipes, W.*tenuis*, Mg.*flabellatus*, Mg.*pusio*, Mg.*præcox*, Mg.*debilis*, Mg.*vernus*, Mg.*flavipes*, Mg.**EURYCNUM,**

v. d. Wulp.

elegans, Mg.**METRIOCNEMUS,**

v. d. Wulp.

fuscipes, Mg.*modestus*, Mg.

?

lacustris, Hal.**DIAMESA, Mg.***obscurimanus*, Mg.*Chiron*, Hal.*Waltlii*, Mg.*Ammon*, Hal.*Typhon*, Hal.*tonsa*, Hal.*notata*, Stæg.**TANYPUS, Mg.***varius*, F.*nebulosus*, Mg.*choreus*, Mg.*punctatus*, F.*punctipennis*, Mg.*guttipennis*, v. d. Vulp.*carneus*, F.*lentiginosus*, Fries.*ornatus*, Mg.*trifascipennis*, Ztt.*zonatus*, F.*lætus*, Mg.*dubius*, Stæg.*culiciformis*, L.*monilis*, L.*phatta*, Egg.*plumipes*, Fries.*notatus*, Mg.*melanops*, Mg.*ferrugineicollis*, Mg.*griseipennis*, v. d. Wulp.

pygmæus, v. d. Wulp.
melanurus, Mg.
pusillus, Mg.
nervosus, Mg.

CLUNIO, Hal.

marinus, Hal.

CERATOPOGON, Mg.

niger, Winn.
bipunctatus, L.
vexans, Ztt.
piceus, Winn.
ciliatus, Winn.
Kaltenbachii, Winn.
myrmecophilus, Egg.
crassipes, Winn.
brevipennis, Mcq.
alacer, Winn.
murinus, Winn.
titillans, Winn.

halteratus, Winn.
velox, Winn.
frutetorum, Winn.
lucorum, Mg.
rostratus, Winn.
brunnipes, Mg.
pavidus, Winn.
fuscus, Mg.
minutus, Mg.
amænus, Winn.
varius, Winn.
fascipennis, Stæg.
pictipennis, Stæg.
arcuatus, Winn.
pulicaris, L.
albicans, W.
æstivus, Winn.
scutellatus, Mg.
pumilus, Winn.
neglectus, Winn.
gracilis, Hal.
ochraceus, Winn.
lacteipennis, Ztt.
nitidus, Mcq.
candidatus, Winn.
illustris, Winn.
leucopeza, Mg.
flavipes, Mg.
spinipes, Mg.
brachialis, Hal.
distinctus, Hal.
unimaculatus, Mcq.

fulvus, Mcq.
serripes, Mg.
rufipectus, Winn.
lineatus, Mg.
tibialis, Mg.
fasciatus, Mg.
rubiginosus, Winn.
femoratus, Mg.
bicolor, Mg.
venustus, Mg.
albipes, Winn.
signatus, Mg.
ornatus, Mg.
tæniatus, Hal.
calceatus, Hal.
pictus, Mg.
solstitialis, Winn.
varipes, Curt.

ORPHNEPHILIDÆ.

ORPHNEPHILA, Hal.

testacea, Ruthé.

PSYCHODIDÆ.

PERICOMA, Hal.

palustris, Mg.
mutua, Eat.
cognata, Eat.
compta, Eat.
extricata, Eat.
nubila, Mg.
trivialis, Eat.
neglecta, Eat.
canescens, Mg.
exquisita, Eat.
fallax, Eat.
gracilis, Eat.
blandula, Eat.
trifasciata, Mg.
pulchra, Eat.
ocellaris, Mg.
Dalii, Eat.
notabilis, Eat.
ambigua, Eat.
decipiens, Eat.
soleata, Hal.
consors, Eat.
labeculosa, Eat.
advena, Eat.
morula, Eat.
fratercula, Eat.

ustulata, Hal.
caliginosa, Eat.
incerta, Eat.
revisenda, Eat.
fusca, Mcq.
calceata, Mg.
auriculata, Curt.

ULOMYIA, Hal.

fuliginosa, Mg.
hirta Wlk. nec L.

PSYCHODA, Ltr.

lucifuga, Hal.
phalænoides, L.
albipennis, Ztt.
sexpunctata, Curt.
erminea, Eat.
humeralis, Mg.
bullata, Hal.

TRICHOMYIA, Hal.

urbica, Hal.

SYCORAX, Hal.

silacea, Hal.

CULICIDÆ.

CORETHRA, Mg.

*X**culiciformis*, Mg.
*X**plumicornis*, F.
pallida, F.

MOCHLONYX, Lw.

velutinus, Ruthé.

ÆDES, Mg.

cinereus, Mg.

ANOPHELES, Mg.

nigripes, Stæg.
bifurcatus, L.
maculipennis, Mg.

CULEX, L.

*X**annulatus*, Schrk.
*X**cantans*, Mg.
fumipennis, Steph.
vexans, Mg.
annulipes, Mg.
morsitans, Theob.
pulchripalpis, Rnd.
dorsalis, Mg.

lateralis, *Mg.*
ornatus, *Mg.*
diversus, *Theob.*
nemorosus, *Mg.*
nigripes, *Ztt.*
var. *sylvæ*, *Theob.*
rusticus, *Rossi.*
nigritulus, *Ztt.*
pipiens, *L.*
ciliaris, *L.*
lutescens, *F.*

TÆNIORHYNCHUS,
Arrib.
Richardii, *Fic.*

DIXIDÆ.

DIXA, *Mg.*

maculata, *Mg.*
nebulosa, *Mg.*
æstivalis, *Mg.*
aprilina, *Mg.*

PTYCHOPTERIDÆ.

PTYCHOPTERA, *Mg.*

contaminata, *L.*
paludosa, *Mg.*
lacustris, *Mg.*
albimana, *F.*
scutellaris, *Mg.*

LIMNOBIDÆ.

LIMNOBINÆ.

LIMNOBIA, *Mg.*

bifasciata, *Schrk.*
annulus, *Mg.*
quadrinotata, *Mg.*
nubeculosa, *Mg.*
flavipes, *F.*
nalis, *Mg.*
nitida, *Verr.*
nigropunctata, *Schum.*
tripunctata, *F.*
stigma, *Mg.*
trivittata, *Schum.*
macrostigma, *Schum.*

DICRANOMYIA, *Steph.*

aquosa, *Verr.*
pilipennis, *Egg.*
modesta, *Mg.*

mitis, *Mg.*
lutea, *Mg.*
chorea, *Mg.*
sericata, *Mg.*
stigmatica, *Mg.*
didyma, *Mg.*
dumetorum, *Mg.*
ornata, *Mg.*
goritiensis, *Mik.*
morio, *F.*

RHIPIDIA, *Mg.*

maculata, *Mg.*
ctenophora, *Lw.*

GERANOMYIA, *Hal.*
unicolor, *Hal.*

RHAMPHIDINÆ.

RHAMPHIDIA, *Mg.*
longirostris, *Mg.*

ORIMARGA, *O-Sack.*
virgo, *Ztt.*

ANTOCHA, *O-Sack.*
opalizans, *O-Sack.*

THAUMASTOPTERA,
Mik.
calceata, *Mik.*

ERIOPTERINÆ.

EMPEDA, *O-Sack.*

flava, *Schum.*
nubila, *Schum.*

GONIOMYIA, *Steph.*

tenella, *Mg.*
connexa, *Lw.*
jucunda, *Lw.*
schistacea, *Schum.*
lateralis, *Mcq.*
scutellata, *Egg.*
sexguttata, *Dale.*

CHILOTTRICHIA, *Rnd.*
imbuta, *Mg.*

ACYPHONA, *O-Sack.*
maculata, *Mg.*

MOLOPHILUS, *Curt.*

ochraceus, *Mg.*
appendiculatus, *Stæg.*
propinquus, *Egg.*
bifilatus, *Verr.*
obscurus, *Mg.*
murinus, *Mg.*
ater, *Mg.*

RHYPHOLOPHUS,
Kolen.

lineatus, *Mg.*
nodulosus, *Mcq.*
pentagonalis, *Lw.*
similis, *Stæg.*
varius, *Mg.*
hæmorrhoidalis, *Ztt.*

ERIOPTERA, *Mg.*

flavescens, *Mg.*
macrophthalma, *Lw.*
lutea, *Mg.*
tænionota, *Mg.*
fuscipennis, *Mg.*
trivialis, *Mg.*

SYMPLECTA, *Mg.*

punctipennis, *Mg.*
stictica, *Mg.*

TRIMICRA, *O-Sack.*

pilipes, *F.*

LIPSOTHRIX, *Lw.*
errans, *Wlk.*

LIMNOPHILINÆ.

IDIOPTERA, *Mcq.*

fasciata, *L.*
pulchella, *Mg.*
trimaculata, *Ztt.*

EPHELIA, *Schin.*

miliaria, *Egg.*
apicata, *Lw.*
submarmorata, *Verr.*
marmorata, *Mg.*
varinervis, *Ztt.*

DACTYLOLABIS,
O-Sack.

Frauenfeldi, *Egg.*
gracilipes, *Lw.*

PÆCILOSTOLA, *Schin.*

punctata, *Schrk.*
pictipennis, *Mg.*

EPIPHRAGMA,
O-Sack.

picta, *F.*

LIMNOPHILA, *Mcq.*

Meigenii, *Verr.*
dispar, *Mg.*
lineola, *Mg.*
lineolella, *Verr.*
aperta, *Verr.*
ferruginea, *Mg.*
ochracea, *Mg.*
bicolor, *Mg.*
punctum, *Mg.*
fuscipennis, *Mg.*
discicollis, *Mg.*
subtineta, *Ztt.*
lucorum, *Mg.*
sepium, *Verr.*
nemoralis, *Mg.*
filata, *Wlk.*

ADELPHOMYIA,
Bergr.

senilis, *Hal.*

TRICHOCERA, *Mg.*

annulata, *Mg.*
hiemalis, *Deg.*
fuscata, *Mg.*
regelationis, *L.*

ANISOMERINÆ.**ANISOMERA**, *Mg.*

æqualis, *Lw.*
Burmeisteri, *Lw.*

PERONECERA, *Curt.*

fuscipennis, *Curt.*
lucidipennis, *Curt.*

AMALOPINÆ.**ULA**, *Hal.*

pilosa, *Schum.*

DICRANOTA, *Ztt.*

pavida, *Hal.*
bimaculata, *Schum.*

AMALOPIS, *Hal.*

immaculata, *Mg.*
unicolor, *Schum.*
claripennis, *Verr.*
occulta, *Mg.*
straminea, *Mg.*
littoralis, *Mg.*

PEDICIA, *Ltr.*

rivosa, *L.*

CYLINDROTOMINÆ.**CYLINDROTOMA**,
Mcq.

distinctissima, *Mg.*
diversa, *Wlk.*

LIOGMA, *O-Sack.*

glabrata, *Mg.*

PHALACROCERA,
Schin.

replicata, *L.*

TIPULIDÆ.**DOLICHOPEZA**, *Curt.*

sylvicola, *Curt.*

NEPHROTOMA, *Mg.*

dorsalis, *F.*

PACHYRRHINA, *Mcq.*

crocata, *L.*
imperialis, *Mg.*
scurra, *Mg.*
histrio, *F.*
maculosa, *Mg.*
cornicina, *L.*
guestfalica, *Westh.*
anal, *Schum.*
quadrifaria, *Mg.*
annulicornis, *Mg.*
lunulicornis, *Schum.*

TIPULA, *L.*

nigra, *L.*
pagana, *Mg.*
obsoleta, *Mg.*

signata, *Stæg.*

confusa, *v. d. Wulp.*
marmorata, *Mg.*
rufina, *Mg.*
longicornis, *Schum.*
truncorum, *Mg.*
Winnertzii, *Egg.*
hortensis, *Mg.*
pabulina, *Mg.*
hortulana, *Mg.*
varipennis, *Mg.*
nubeculosa, *Mg.*
scripta, *Mg.*
excisa, *Schum.*
melanoceras, *Schum.*
plumbea, *F.*
pruinosa, *W.*
luteipennis, *Mg.*
flavolineata, *Mg.*
lunata, *L.*
marginata, *Mg.*
lateralis, *Mg.*
montium, *Egg.*
Diana, *Mg.*
vernalis, *Mg.*
vaga, *Wlk.*
vittata, *Mg.*
gigantea, *Schrk.*
lutescens, *F.*
oleracea, *L.*
paludosa, *Mg.*
selene, *Mg.*
fascipennis, *Mg.*
peliosigma, *Schum.*
ochracea, *Mg.*

DICTENIDIA, *Brul.*

bimaculata, *L.*

XIPHURA, *Brul.*

atrata, *L.*
nigricornis, *Mg.*

CTENOPHORA, *Mg.*

ornata, *Mg.*
flaveolata, *F.*
pectinicornis, *L.*

RHYPHIDÆ.**RHYPHUS**, *Ltr.*

fenestralis, *Scop.*
inctus, *F.*
punctatus, *F.*

BRACHYCERA.

STRATIOMYIDÆ.

PACHYGASTRINÆ.

PACHYGASTER, *Mg.**atra*, *Pz.**Leachii*, *Curt.**tarsalis*, *Ztt.*✓ *orbitalis*, *Whlbg.**meromelæna*, *Aust.*

CLITELLARINÆ.

EPHIPPIUM, *Ltr.**thoracicum*, *Ltr.*NEMOTELUS, *Geoff.**pantherinus*, *L.*✓ *uliginosus*, *L.*✓ *notatus*, *Ztt.**nigrinus*, *Fln.*OXYCERA, *Mg.* *analis*, *Mg.*✓ *pygmæa*, *Fln.**nigripes*, *Verr.**formosa*, *Mg.**tenuicornis*, *Mcq.**longicornis*, *Dale.*✓ *Morrisii*, *Curt.**terminata*, *Mg.*✓ *pardalina*, *Mg.**dives*, *Lw.**Fallenii*, *Stæg.*✓ *pulchella*, *Mg.*✓ *trilineata*, *F.*

STRATIOMYINÆ.

STRATIOMYS, *Geoff.**chamæleon*, *L.*✓ *potamida*, *Mg.**riparia*, *Mg.*✓ *turcata*, *F.*✓ *longicornis*, *Scop.*ODONTOMYIA, *Mg.**argentata*, *F.**microleon*, *L.**ornata*, *Mg.**hydrodromia*, *Mg.**angulata*, *Pz.**felina*, *Pz.*✓ *tigrina*, *F.**hydroleon*, *L.*✓ *viridula*, *F.*

SARGINÆ.

CHRYSONOTUS, *Lw.*✓ *bipunctatus*, *Scop.*SARGUS, *F.*✓ *flavipes*, *Mg.**rufipes*, *Whlbg.?*✓ *cuprarius*, *L.**var. nubeculosus*, *Ztt.**iridatus*, *Scop.*✓ *infuscatus*, *Mg.*CHLOROMYIA, *Dunc.*✓ *formosa*, *Scop.*MICROCHRYSA, *Lw.*✓ *polita*, *L.*✓ *flavicornis*, *Mg.*✓ *cyaneiventris*, *Ztt.*

BERINÆ.

BERIS, *Ltr.*✓ *clavipes*, *L.*✓ *vallata*, *Forst.*✓ *chalybeata*, *Forst.**fuscipes*, *Mg.*✓ *geniculata*, *Curt.**Morrisii*, *Dale.*CHORISOPS, *Rnd.*✓ *tibialis*, *Mg.*

XYLOMYINÆ.

XYLOMYIA, *Rnd.*✓ *maculata*, *F.**varia*, *Mg.**marginata*, *Mg.*

TABANIDÆ.

HÆMATOPOTA, *Mg.*✓ *pluvialis*, *L.*✓ *crassicornis*, *Whlbg.*✓ *italica*, *Mg.*

THERIOPECTES,

Zlr.✓ *micans*, *Mg.**montanus*, *Mg.*✓ *tropicus*, *Mg.**var. bisignatus*, *Jaen.*✓ *solstitialis*, *Mg.*ATYLOTUS, *O-Sack.**rusticus*, *F.*✓ *fulvus*, *Mg.*TABANUS, *L.*✓ *bovinus*, *L.*✓ *sudeticus*, *Zlr.*✓ *autumnalis*, *L.**græcus*, *F.*✓ *bromius*, *L.*✓ *maculicornis*, *Ztt.**cordiger*, *W.**glaucopis*, *Mg.*CHRYSOPS, *Mg.*✓ *cæcutiens*, *L.*✓ *quadrata*, *Mg.*✓ *felicata*, *Mg.**sepulcralis*, *F.*

LEPTIDÆ.

LEPTIS, *F.*✓ *scolopacea*, *L.**strigosa*, *Mg.*✓ *notata*, *Mg.*✓ *tringaria*, *L.**nigriventris*, *Lw.**conspicua*, *Mg.*✓ *lineola*, *F.*CHRYSOPILUS, *Mcq.*✓ *aureus*, *Mg.*✓ *auratus*, *F.*ATHERIX, *Mg.*✓ *marginata*, *F.*✓ *Ibis*, *F.**crassipes*, *Mg.*PTIOLINA, *Stæg.**Wodzickii*, *Frld.*✓ *unicolor*, *Curt.*✓ *atra*, *Stæg.*

SYMPHOROMYIA,

Frld.✓ *crassicornis*, *Pz.**melæna*, *Mg.**immaculata*, *F.*SPANIA, *Mg.*✓ *nigra*, *Mg.*

XYLOPHAGUS, *Mg.*

ater, *F.*
cinctus, *Deg.*

ASILIDÆ.

DASYPOGONINÆ.

LEPTOGASTER, *Mg.*

cylindrica, *Deg.*
guttiventris, *Ztt.*

DIOCTRIA, *Mg.*

œlandica, *L.*
Reinhardi, *W.*
atricapilla, *Mg.*
rufipes, *Deg.*
Baumhaueri, *Mg.*
flavipes, *Mg.*
linearis, *F.*

ISOPOGON, *Lw.*

brevirostris, *Mg.*

LASIOPOGON, *Lw.*

cinctus, *F.*

LAPHRINÆ.

LAPHRIA, *Mg.*

flava, *L.*
marginata, *L.*

ASILINÆ.

ASILUS, *L.*

crabroniformis, *L.*

RHADIURGUS, *Lw.*

variabilis, *Ztt.*

PAMPONERUS, *Lw.*
germanicus, *L.*

ANTIPALUS, *Lw.*

varipes, *Mg.*

PHILONICUS, *Lw.*

albiceps, *Mg.*

EPITRIPTUS, *Lw.*

cingulatus, *F.*

NEOITAMUS, *O-Sack.*

cyanurus, *Lw.*

MACHIMUS, *Lw.*

atricapillus, *Fln.*
rusticus, *Mg.*

EUTOLMUS, *Lw.*
rufibarbis, *Mg.*

DYSMACHUS, *Lw.*

trigonus, *Mg.*

BOMBYLIDÆ.

ANTHRAX, *Scop.*

Paniscus, *Rossi.*
hottentota, *L.*

fenestratus, *Fln.*
circumdatus, *Mg.*
BOMBYLIUS, *L.*

discolor, *Mik.*
major, *L.*
fugax, *W.*
vulpinus, *Mg.*
posticus, *Mg.*
canescens, *Mik.*
minor, *L.*

PHTHIRIA, *Mg.*

pulicaria, *Mik.*

THEREVIDÆ.

THEREVA, *Ltr.*

nobilitata, *F.*
fulva, *Mg.*
plebeia, *L.*
bipunctata, *Mg.*
funebis, *Mg.*
annulata, *F.*

DIALINEURA, *Rnd.*

anilis, *L.*

PSILOCEPHALA, *Ztt.*

ardea, *F.*
fuscipennis, *Cooke.*

SCENOPINIDÆ.

SCENOPINUS, *Ltr.*

fenestralis, *L.*
niger, *Deg.*
glabrifrons, *Mg.*

CYRTIDÆ.

ONCODES, *Ltr.*

gibbosus, *L.*

ACROCERA, *Mg.*

globulus, *Pz.*

EMPIDÆ.

HYBOTINÆ.

HYBOS, *Mg.*

grossipes, *L.*
femoratus, *Müll.*

CYRTOMA, *Mg.*

nigra, *Mg.*
spuria, *Fln.*
melæna, *Hal.*

EMPINÆ.

RHAMPHOMYIA, *Mg.*

spissirostris, *Fln.*
dissimilis, *Ztt.*
nigripes, *F.*
sulcata, *Fln.*
cinerascens, *Mg.*
albosegmentata, *Ztt.*
spinipes, *Fln.*
dentipes, *Ztt.*
filata, *Ztt.* ×
fumipennis, *Ztt.*
conformis, *Kow.*
tarsata, *Mg.*
costata, *Ztt.*
hybotina, *Ztt.*
atra, *Mg.*
simplex, *Ztt.* ×
anomalipennis, *Ztt.*
plumipes, *Fln.*
geniculata, *Mg.*
gibba, *Fln.*
pennata, *Mcq.*
cæsia, *Mg.*
variabilis, *Fln.*
æthiops, *Ztt.*
sciarina, *Fln.*
umbripennis, *Mg.*
flava, *Fln.*
tenacirostris, *Fln.*
caudata, *Mg.*

EMPIS, L.

- ✓ tessellata, F.
 ✓ livida, L.
 ✓ opaca, F.
 ✓ borealis, L.
 ✓ stercorea, L.
 ✓ trigramma, Mg.
 ✓ punctata, Mg.
 ✓ bilineata, Lw.
 ✓ concolor, Verr.
 ✓ lutea, Mg.
 ✓ scutellata, Curt.
 ✓ nigritarsis, Mg.
 ✓ lucida, Ztt.
 ✓ brunnipennis, Mg.
 ✓ pennipes, L.
 ✓ pennaria, Fln.
 ✓ vernalis, Mg.
 ✓ decora, Mg.
 ✓ albipennis, Mg.
 ✓ albinervis, Mg.
 ✓ vitripennis, Mg.
 ✓ volucris, Mg.
 ✓ prodromus, Lw.
 ✓ caudatula, Lw.
 ✓ chioptera, Fln.
 ✓ æstiva, Lw.
 ✓ lepidopus, Mg.
 ✓ brevicornis, Lw.
 ✓ grisea, Fln.
 var. nodosa, Beling.

PACHYMERIA, Steph.

- ✓ femorata, F.
 ✓ palparis, Egg.

RAGAS, Wlk.

- ✓ unica, Wlk.

HILARA, Mg.

- ✓ matrona, Hal.
 ✓ cilipes, Mg.
 ✓ pilosa, Ztt.
 ✓ interstincta, Fln.
 ✓ maura, F.
 ✓ nitidula, Ztt.
 ✓ niveipennis, Ztt.
 ✓ squalens, Ztt.
 ✓ pinetorum, Ztt.
 ✓ manicata, Mg.
 ✓ clypeata, Mg.

- nigrina, Fln.
 fuscipes, F.
 quadrivittata, Mg.
 cornicula, Lw.
 canescens, Ztt.

- ✓ litorea, Fln.
 ✓ lurida, Fln.
 ✓ chorica, Fln.
 ✓ rufipes, Mcq.
 ✓ recedens, Hal.
 ✓ tenella, Fln.
 ✓ obscura, Mg.
 ✓ thoracica, Mcq.

OREOGETON, Schin.

- ✓ flavipes, Mg.

OCYDROMINÆ.

TRICHINA, Mg.

- ✓ clavipes, Mg.
 ✓ flavipes, Mg.
 ✓ elongata, Hal.

MICROPHORUS, Mcq.

- ✓ anomalus, Mg.
 ✓ velutinus, Mcq.

CEDALEA, Mg.

- ✓ flavipes, Ztt.
 ✓ stigmatella, Ztt.
 ✓ Holmgreni, Ztt.

OCYDROMIA, Mg.

- ✓ glabricula, Fln.
 ✓ dispar, Curt.

LEPTOPEZA, Mcq.

- ✓ flavipes, Mg.
 ✓ ruficollis, Mg.

EUTHYNEURA, Mcq.

- ✓ myrtilli, Mcq. ?
 ✓ myricæ, Wlk.

CLINOCERA, Mg.

- KOWARZIA, Mik.
 ✓ barbatula, Mik.
 ✓ bipunctata, Hal.
 ✓ plectrum, Mik.

- CLINOCERA, Mg.
 ✓ nigra, Mg.

HELEODROMIA, Hal.

- ✓ stagnalis, Hal.
 ✓ fontinalis, Hal.

CHAMÆDIPSIA, Mik.

- ✓ lota, Hal.

WIEDEMANNIA, Ztt.

- ✓ bistigma, Curt.
 ✓ lamellata, Lw.
 ✓ rhynchops, Now.

HEMERODROMIA, Mg.

- ✓ precatoria, Fln.
 ✓ melanocephala, Hal.
 ✓ albicornis, Mg.
 ✓ oratoria, Fln.
 ✓ unilineata, Ztt.

ARDOPTERA, Mcq.

- ✓ irrorata, Fln.
 ✓ guttata, Hal.
 ✓ exoleta, Hal.

GLOMA, Mg.

- ✓ fuscipennis, Mg.

TRICHOPEZA, Rnd.

- ✓ longicornis, Mg.

LEPIDOMYIA, Bigot.

- ✓ melanocephala, F.

THAMNODROMIA, Mik.

- ✓ albiseta, Ztt.
 ✓ vocatoria, Fln.

SCIODROMIA, Hal.

- ✓ immaculata, Hal.

TACHYDROMINÆ.

DRAPETIS, Mg.

- ✓ assimilis, Fln.
 ✓ nervosa, Lw.
 ✓ exilis, Mg.
 ✓ pusilla, Lw.
 ✓ aterrima, Hal.

STILPON, Lw.

- ✓ graminum, Fln.
 ✓ lunata, Wlk.

TACHYPEZA, *Mg.*

- ✓ *nubila*, *Mg.*
fuscipennis, *Fln.*
prælusio, *Wlk.*

TACHISTA, *Lw.*

- ✗ *arrogans*, *L.*
✗ *connexa*, *Mg.*
✓ *annulimana*, *Mg.*
æmula, *Lw.*
morio, *Wlk.*

DYSALETRIA, *Lw.*

sp. ?

ELAPHROPEZA, *Mcq.*

ephippiata, *Fln.*

CHERSODROMIA,
Wlk.

- ✗ *arenaria*, *Hal.*
cursitans, *Ztt.*
hirta, *Wlk.*
incana, *Wlk.*
speculifera, *Wlk.*

TACHYDROMIA, *Mg.*

- lutea*, *Fln.*
glabra, *Mg.*
✗ *pectoralis*, *Fln.*
stramineipes, *Ztt.*
flavipennis, *Wlk.*
formalis, *Wlk.*
pulchella, *Wlk.*
munda, *Wlk.*
✗ *ciliaris*, *Fln.*
nigritarsis, *Fln.*
✗ *longicornis*, *Mg.*
dissimilis, *Fln.*
✗ *compta*, *Wlk.*
stigmatella, *Ztt.*
pubicornis, *Ztt.*
albiseta, *Pz.*
pallipes, *Fln.*
✗ *minuta*, *Mg.*
fulvipes, *Mg.*
✗ *agilis*, *Mg.*
✓ *dubia*, *Mg.*
castanipes, *Mg.*
exigua, *Mg.*
cothurnata, *Mcq.*

Not in List

✗ *major* *Mg.*
✗ *annulipes* *Ztt.*
✓ *flavipennis* *Mg.* ?
✓ *nervosa* *Mg.*

notata, *Mg.* —

- ✗ *diehroa*, *Mg.* —
commiles, *Wlk.* —
maculipes, *Mg.* —
flavipes, *F.*
compungens, *Wlk.* —
robusta, *Wlk.*

- ✗ *annulata*, *Fln.* —
fasciata, *Mg.* —
varia, *Wlk.*

- ✓ *divisa*, *Wlk.* —
infusata, *Mg.* —

- ✗ *cursitans*, *F.*
ecalceata, *Ztt.* —
laticincta, *Wlk.* —
candicans, *Fln.*
calceata, *Mg.*
articulata, *Mcq.*
pallidiventris, *Mg.*

- ✓ *bicolor*, *F.*
albicornis, *Ztt.*
flavicornis, *Mg.*

DOLICHOPODIDÆ.

PSILOPUS, *Mg.*

- ✗ *platypterus*, *F.*
✗ *Wiedemanni*, *Fln.*
longulus, *Fln.*
obscurus, *Mg.*
lætus, *Mg.*
contristans, *W.*

NEURIGONA, *Rnd.*

- ✗ *pallida*, *Fln.*
✓ *suturalis*, *Fln.*
✓ *quadrifasciata*, *F.*

EUTARSUS, *Lw.*

aulicus, *Mg.*

HYGROCELEUTHUS,

Lw.

- ✗ *diadema*, *Hal.*
latipennis, *Fln.*

DOLICHOPUS, *Ltr.*

- ✗ *atripes*, *Mg.*
phæopus, *Hal.*
✗ *vitripennis*, *Mg.*
✗ *atratus*, *Mg.*

- ✓ *picipes*, *Mg.*
lepidus, *Stæg.*
campestris, *Mg.*
Falleni, *Lw.*
melanopus, *Mg.*
planitarsis, *Fln.*

- ✗ *clavipes*, *Hal.*
rupestris, *Hal.*
✗ *nubilus*, *Mg.*
latelimbatus, *Mcq.*
claviger, *Stan.*
confusus, *Ztt.*

- ✗ *discifer*, *Stan.*
✗ *plumipes*, *Scop.*

- ✗ *Wahlbergi*, *Ztt.*

- ✗ *pennatus*, *Mg.*

- ✗ *popularis*, *W.*

- ✗ *signatus*, *Mg.*

- ✓ *urbanus*, *Mg.*
acuticornis, *W.*

- ✗ *longicornis*, *Stan.*
mediicornis, *Verr.*
puncticornis, *Ztt.*
linearis, *Mg.*
Scotti, *Verr.*

- ✗ *nitidus*, *Fln.*

- ✗ *griseipennis*, *Stan.*
signifer, *Hal.*
sabinus, *Hal.*

- ✗ *simplex*, *Mg.*
thalassinus, *Hal.*
strigipes, *Verr.*
virgultorum, *Hal.*
arbustorum, *Stan.*

- ✗ *festivus*, *Hal.*

- ✗ *trivialis*, *Hal.*

- ✗ *brevipennis*, *Mg.*
longitarsis, *Stan.*

- ✗ *æneus*, *Deg.*

TACHYTRECHUS,
Stan.

- notatus*, *Stan.*
consobrinus, *Wlk.*
insignis, *Stan.*

PÆCILOBOTHRUS,
Mik.

- ✗ *nobilitatus*, *L.*
ducalis, *Lw.*
principalis, *Lw.*

HERCOSTOMUS, *Lw.**fulvicaudis*, *Wlk.**cretifer*, *Wlk.**gracilis*, *Stan.**chrysozygos*, *W.**✓ chærophylli*, *Mg.**germanus*, *W.**nigriplantis*, *Stan.**✓ nigripennis*, *Fln.**plagiatus*, *Lw.**atrovirens*, *Lw.**nanus*, *Mcq.**parvilamellatus*, *Mcq.*HYPOPHYLLUS, *Lw.**✓ discipes*, *Ahr.**obscurellus*, *Fln.**✓ ~~Cunipes~~*ORTHOCHILE, *Ltr.**nigrocœrulea*, *Ltr.*

GYMNOPTERNUS,

*Lw.**✓ cupreus*, *Fln.**celer*, *Mg.**metallicus*, *Stan.**chalybæus*, *W.**✓ ærosus*, *Fln.**assimilis*, *Stæg.**prætextatus*, *Hal.*CHRYSOTUS, *Mg.**✓ neglectus*, *W.**cilipes*, *Mg.**pulchellus*, *Kow.**blepharosceles*, *Kow.**cupreus*, *Mcq.**angulicornis*, *Kow.**palustris*, *Verr.**læsus*, *W.**amplicornis*, *Ztt.**gramineus*, *Fln.**microcerus*, *Kow.*

MELANOSTOLUS,

*Kow.**melancholicus*, *Lw.*DIAPHORUS, *Mg.**nigricans*, *Mg.**oculatus*, *Fln.**Hoffmanseggii*, *Mg.**Winthemi*, *Mg.*ARGYRA, *Mcq.**atriceps*, *Lw.**✓ diaphana*, *F.**✓ confinis*, *Ztt.**✓ argentina*, *Mg.**✓ argyria*, *Mg.**✓ leucocephala*, *Mg.**✓ elongata*, *Ztt.*LEUCOSTOLA, *Lw.**vestita*, *W.*THRYPTICUS, *Gerst.**bellus*, *Lw.*RHAPHIUM, *Mg.**✓ longicorne*, *Fln.*PORPHYROPS, *Mg.**antennata*, *Carl.**spinicoxa*, *Lw.**✓ fascipes*, *Mg.**nemorum*, *Mg.**penicillata*, *Lw.**nasuta*, *Fln.**pectinata*, *Lw.**consobrina*, *Ztt.**micans*, *Mg.**elegantula*, *Mg.**✓ crassipes*, *Mg.**gravipes*, *Wlk.**✓ prærosa*, *Lw.*SYNTORMON, *Lw.**Zelleri*, *Lw.**biseriatus*, *Lw.**✓ pumilus*, *Mg.**✓ tarsatus*, *Fln.**sulcipes*, *Mg.**✓ monilis*, *Wlk.**✓ pallipes*, *F.*MACHÆRIUM, *Hal.**✓ maritimæ*, *Hal.*XIPHANDRIUM, *Lw.**✓ fissum*, *Lw.**caliginosum*, *Mg.**monotrichum*, *Lw.**✓ appendiculatum*, *Ztt.**brevicorne*, *Curt.**auctum*, *Lw.**fasciatum*, *Mg.*ACHALCUS, *Lw.**cinereus*, *Wlk.**flavicollis*, *Mg.*MEDETERUS, *Fisch.**micaceus*, *Lw.**muralis*, *Mg.**tristis*, *Ztt.**apicalis*, *Ztt.**pallipes*, *Ztt.**diadema*, *L.**flavipes*, *Mg.**✓ jaculus*, *Mg.**✓ truncorum*, *Mg.**dendrobæus*, *Kow.**petrophilus*, *Kow.*SCELLUS, *Lw.**notatus*, *F.*

HYDROPHORUS,

*Whlbg.**✓ nebulosus*, *Fln.**✓ bipunctatus*, *Lehm.**✓ borealis*, *Lw.**✓ balticus*, *Mg.**litoreus*, *Fln.**præcox*, *Lehm.**viridis*, *Mg.**bisetus*, *Lw.*LIANCALUS, *Lw.**✓ virens*, *Scop.*ALLÆONEURUS, *Mik.**lacustris*, *Scop.*

CAMPSICNEMUS,

*Wlk.**magius*, *Lw.**scambus*, *Fln.**✓ curvipes*, *Fln.**✓ loripes*, *Hal.**armatus*, *Ztt.**pusillus*, *Mg.**pectinulatus*, *Lw.**✓ picticornis*, *Ztt.*ECTOMUS, *Mik.**alpinus*, *Hal.*

TEUCHOPHORUS,
Lw.

spinigerellus, *Ztt.*
pectinifer, *Kow.*
monacanthus, *Lw.*
simplex, *Mik.*

SYMPYCNUM, *Lw.*

cirrhipes, *Wlk.*
annulipes, *Mg.*
aeneicoxa, *Mg.*
nigritibialis, *Ztt.*

LAMPROCHROMUS,
Mik.

elegans, *Mg.*
bifasciellus, *Ztt.*

CHRYSOTIMUS, *Lw.*

molliculus, *Fln.*
concinus, *Ztt.*

XANTHOCHLORUS,
Lw.

ornatus, *Hal.*
tenellus, *W.*

BATHYCRANIUM,
Strobl.

bicolorellus, *Ztt.*

ANEPSIUS, *Lw.*
flaviventris, *Mg.*MICROMORPHUS,
Mik.

albipes, *Ztt.*

THINOPHILUS,
Whlbq.

flavipalpis, *Ztt.*
ruficornis, *Hal.*

SCHÆNOPHILUS,
Mik.

versutus, *Wlk.*

APHROSYLUS, *Wlk.*

celtiber, *Hal.*
raptor, *Hal.*
ferox, *Hal.*

LONCHOPTERIDÆ.

LONCHOPTERA, *Mg.*

lutea, *Pz.*
punctum, *Mg.*
flavicauda, *Mg.*
lacustris, *Mg.*
tristis, *Mg.*
fuscipennis, *Boh.*
trilineata Ztt.

CYCLORRHAPHA.

PROBOSCIDEA.

PLATYPEZIDÆ.

OPETIA, *Mg.*

nigra, *Mg.*
lonchopteroides, *Curt.*

PLATYCHEMA, *Ztt.*

pulicaria, *Fln.*

CALLIMYIA, *Mg.*

speciosa, *Mg.*
amoena, *Mg.*
var. leptiformis, *Fln.*
elegans, *Mg.*

AGATHOMYIA, *Verr.*

antennata, *Ztt.*
Collini, *Verr.*

PLATYPEZA, *Mg.*

consobrina, *Ztt.*
modesta, *Ztt.*
rufa, *Mg.*
atra, *Mg.*
furcata, *Fln.*
dorsalis, *Mg.*
holosericea, *Mg.*
fasciata, *Mg.*
aterrima, *Wlk.*
hirticeps, *Verr.*
infumata, *Hal.*
picta, *Mg.*
fumipennis, *Wlk.*

PIPUNCULIDÆ.

CHALARUS, *Wlk.*

spurius, *Fln.*
holosericeus, *Mg.*

VERRALLIA, *Mik.*

pilosa, *Ztt.*
var. setosa, *Verr.*
villosa, v. *Ros.*
aucta, *Fln.*

NEPHROCERUS, *Ztt.*

flavicornis, *Ztt.*

PIPUNCULUS, *Ltr.*

furcatus, *Egg.*
zonatus, *Ztt.*
fascipes, *Ztt.*
modestus, *Hal.*
fuscipes, *Ztt.*
ruralis, *Mg.*
unicolor, *Ztt.*
terminalis, *Thoms.*
obtusinervis, *Ztt.*
halteratus, *Mg.*
varipes, *Mg.*
campestris, *Ltr.*
ater, *Mg.*
pratorum, *Fln.*
carinatus, *Verr.*
vittipes, *Ztt.*
flavipes, *Mg.*
Strobl, *Verr.*
strigulipes, *Verr.*
seminitidus, *Beck.*
incognitus, *Verr.*
geniculatus, *Auct.*
confusus, *Verr.*
rufipes, *Mg.*
hæmorrhoidalis, *Ztt.*
xanthopus, *Thoms.*
maculatus, *Wlk.*
lateralis, *Mcq.*
semimaculatus, *Beck.*
geniculatus, *Mg.*
nigritulus, *Ztt.*
littoralis, *Beck.*
sylvaticus, *Mg.*

SYRPHIDÆ.

SYRPHINÆ.

PARAGUS, *Ltr.*

tibialis, *Fln.*
bicolor *F.*
var. lacerus, *Lw.*

PIPIZELLA, *Rnd.*

- ~~X~~ virens, *F.*
~~X~~ maculipennis, *Mg.*
~~X~~ flavitarsis, *Mg.*
~~X~~ biguttata, *Curt.*
~~X~~ Heringi, *Ztt.*

PIPIZA, *Fln.*

- ~~X~~ luteitarsis, *Ztt.*
~~X~~ quadrimaculata, *Pz.*
~~X~~ noctiluca, *L.*
~~X~~ fenestrata, *Mg.*
~~X~~ bimaculata, *Mg.*
~~X~~ guttata, *Mg.*
~~X~~ signata, *Mg.*
~~X~~ notata, *Mg.*
~~X~~ lugubris, *F.*

CNEMODON, *Egg.*

- ~~X~~ vitripennis, *Mg.*
~~X~~ acuminatus, *Lw.*

PSILOTA, *Mg.*

- ~~X~~ anthracina, *Mg.*

ORTHONEURA, *Mcq.*

- ~~X~~ elegans, *Mg.*
~~X~~ brevicornis, *Lw.*
~~X~~ nobilis, *Fln.*

LIOGASTER, *Rnd.*

- ~~X~~ splendida, *Mg.*
~~X~~ metallina, *F.*

CHRYSOGASTER, *Mg.*

- ~~X~~ splendens, *Mg.*
~~X~~ hirtella, *Lw.*
~~X~~ Macquarti, *Lw.*
~~X~~ virescens, *Lw.*
~~X~~ chalybeata, *Mg.*
~~X~~ solstitialis, *Fln.*
~~X~~ cæmeteriorum, *Auct.*
~~X~~ fumipennis, *Wlk. (nec Lw.)*

CHILOSIA, *Mg.*

- ~~X~~ maculata, *Fln.*
~~X~~ sparsa, *Lw.*
~~X~~ antiqua, *Mg.*
~~X~~ longula, *Ztt.*
~~X~~ scutellata, *Fln.*
~~X~~ soror, *Ztt.*
~~X~~ pulchripes, *Lw.*

~~X~~variabilis, *Pz.*

- ~~X~~ honesta, *Rnd.*
~~X~~ vulpina, *Mg.*
~~X~~ barbata, *Lw.*
~~X~~ intonsa, *Lw.*
~~X~~ illustrata, *Harr.*
~~X~~ œstracea, *Auct.*
~~X~~ grossa, *Fln.*
~~X~~ chrysocoma, *Mg.*
~~X~~ albipila, *Mg.*
~~X~~ flavicornis, *Auct.*
~~X~~ nebulosa, *Verr.*
~~X~~ impressa, *Lw.*
~~X~~ albitarsis, *Mg.*
~~X~~ flavimana, *Mg.*
~~X~~ fraterna, *Mg.*
~~X~~ chloris, *Wlk.*
~~X~~ Bergenstammi, *Beck.*
~~X~~ præcox, *Ztt.*
~~X~~ mutabilis, *Fln.*
~~X~~ vernalis, *Fln.*
~~X~~ proxima, *Ztt.*
~~X~~ cynocephala, *Lw.*
~~X~~ rostrata, *Ztt.*

PLATYCHIRUS, *St. Farg.*

- ~~X~~ manicatus, *Mg.*
~~X~~ tarsalis, *Schum.*
~~X~~ discimanus, *Lw.*
~~X~~ melanopsis, *Lw.*
~~X~~ peltatus, *Mg.*
~~X~~ scutatus, *Mg.*
~~X~~ albimanus, *F.*
~~X~~ podagratus, *Ztt.*
~~X~~ scambus, *Stæg.*
~~X~~ immarginatus, *Ztt.*
~~X~~ fulviventris, *Mcq.*
~~X~~ perpallidus, *Verr.*
~~X~~ clypeatus, *Mg.*
~~X~~ angustatus, *Ztt.*
~~X~~ sticticus, *Mg.*
~~X~~ spathulatus, *Rnd.*

PYROPHÆNA, *Schin.*

- ~~X~~ granditarsa, *Forst.*
~~X~~ ocymi, *F.*
~~X~~ rosarum, *F.*

MELANOSTOMA, *Schin.*

- ~~X~~ ambiguum, *Fln.*
~~X~~ dubium, *Ztt.*

~~X~~mellinum, *L.*~~X~~scalare, *F.*MELANGYNA, *Verr.*

- ~~X~~ quadrimaculata, *Verr.*

XANTHANDRUS, *Verr.*

- ~~X~~ comtus, *Harr.*
~~X~~ hyalinatus, *Fln.*

LEUCOZONA, *Schin.*

- ~~X~~ lucorum, *L.*

ISCHYROSYPHUS, *Big.*

- ~~X~~ glaucius, *L.*
~~X~~ laternarius, *Müll.*

DIDEA, *Mcq.*

- ~~X~~ alneti, *Fln.*
~~X~~ fasciata, *Mcq.*
~~X~~ intermedia, *Lw.*

CATABOMBA, *O.-S.*

- ~~X~~ pyrastris, *L.*
~~X~~ selenitica, *Mg.*

SYRPHUS, *F.*

- ~~X~~ allostriatus, *Fln.*
~~X~~ tricinctus, *Fln.*
~~X~~ venustus, *Mg.*
~~X~~ lunulatus, *Mg.*
~~X~~ nigricornis, *Verr.*
~~X~~ quadrilunulatus, *Lw.*
~~X~~ annulipes, *Ztt.*
~~X~~ torvus, *O.-S.*
~~X~~ topiarius, *Mg.*
~~X~~ annulatus, *Ztt.*
~~X~~ lineola, *Ztt.*
~~X~~ vittiger, *Ztt.*
~~X~~ grossulariæ, *Mg.*
~~X~~ diaphanus, *Ztt.*
~~X~~ ribesii, *L.*
~~X~~ vitripennis, *Mg.*
~~X~~ latifasciatus, *Mcq.*
~~X~~ nitidicollis, *Mg.*
~~X~~ nitens, *Ztt.*
~~X~~ arcuatus, *Fln.*
~~X~~ lapponicus, *Ztt.*
~~X~~ corollæ, *F.*
~~X~~ luniger, *Mg.*
~~X~~ bifasciatus, *F.*

<i>balteatus</i> , Deg. <i>cinctellus</i> , Ztt. <i>cinctus</i> , Fln. <i>auricollis</i> , Mg. <i>decorus</i> , Mg. <i>var. maculicornis</i> , Ztt. <i>var. nigriritibus</i> , Rnd. <i>euchromus</i> , Kow. <i>triangulifer</i> , Ztt. <i>punctulatus</i> , Verr. <i>guttatus</i> , Fln. <i>flavifrons</i> , Verr. <i>umbellatarum</i> , F. <i>compositarum</i> , Verr. <i>labiatarum</i> , Verr. <i>lasiophthalmus</i> , Ztt. <i>arcticus</i> , Ztt. <i>barbifrons</i> , Fln. SPHÆROPHORIA , <i>St. Farg.</i> <i>scripta</i> , L. <i>var. dispar</i> , Lw. <i>var. nigricoxa</i> , Ztt. <i>var. strigata</i> , Stæg. <i>menthastri</i> , L. <i>var. picta</i> , Mg. <i>var. taniata</i> , Mg. <i>var. dubia</i> , Ztt. <i>flavicauda</i> , Ztt. <i>var. nitidicollis</i> , Ztt. XANTHOGRAMMA , <i>Schin.</i> <i>ornatum</i> , Mg. <i>citrofasciatum</i> , Deg. DOROS , Mg. <i>conopseus</i> , F. BACCHA , F. <i>obscuripennis</i> , Mg. <i>elongata</i> , F. PELECOCERA , Mg. <i>tricincta</i> , Mg. CHAMÆSYRPHUS , <i>Mik.</i> <i>scævoides</i> , Fln. SPHEGINA , Mg. <i>clunipes</i> , Fln.	 ASCIA , Mg. <i>podagrica</i> , F. <i>dispar</i> , Mg. <i>floralis</i> , Mg. <i>geniculata</i> , Mg. BRACHYOPA , Mg. <i>bicolor</i> , Fln. RHINGIA , Scop. <i>rostrata</i> , L. <i>campestris</i> , Mg. VOLUCELLINÆ. VOLUCELLA , Geoff. <i>bombylans</i> , L. <i>inanis</i> , L. <i>inflata</i> , F. <i>pellucens</i> , L. ERISTALINÆ. ERISTALIS , Ltr. <i>sepulchralis</i> , L. <i>æneus</i> , Scop. <i>cryptarum</i> , F. <i>tenax</i> , L. <i>intricarius</i> , L. <i>var. furvus</i> , Verr. <i>arbustorum</i> , L. <i>nemorum</i> , L. <i>pertinax</i> , Scop. <i>rupium</i> , F. <i>horticola</i> , Deg. MYIATROPA , Rnd. <i>florea</i> , L. HELOPHILUS , Mg. <i>trivittatus</i> , F. <i>hybridus</i> , Lw. <i>pendulus</i> , L. <i>frutetorum</i> , F. <i>versicolor</i> , F. <i>lunulatus</i> , Mg. <i>transfugus</i> , L. <i>lineatus</i> , F. <i>vittatus</i> , Mg. MALLOTA , Mg. <i>cimbiciformis</i> , Fln. <i>eristoloides</i> , Lw.	 MERODON , Mg. <i>equestris</i> , F. <i>var. narcissi</i> , F. <i>var. transversalis</i> , Mg. <i>var. validus</i> , Mg. MILESINÆ. TROPIDIA , Mg. <i>scita</i> , Harr. <i>milesiformis</i> , Fln. MYIOLEPTA , Newm. <i>luteola</i> , Gmel. CRIORRHINA , Mcq. <i>ranunculi</i> , Pz. <i>ruficauda</i> , Mg. <i>berberina</i> , F. <i>oxyacanthæ</i> , Mg. <i>floccosa</i> , Mg. <i>asilica</i> , Fln. POCOTA , St. Farg. <i>apiformis</i> , Schrk. CYNORRHINA , Willist. <i>fallax</i> , L. BRACHYPALPUS , Mcq. <i>bimaculatus</i> , Mcq. XYLOTA , Mg. <i>segnis</i> , L. <i>tarda</i> , Mg. <i>confinis</i> , Ztt. <i>lenta</i> , Mg. <i>sylvarum</i> , L. <i>nemorum</i> , F. <i>florum</i> , F. <i>abiens</i> , W. SYRITTA , St. Farg. <i>pipiens</i> , L. EUMERUS , Mg. <i>sabulonum</i> , Fln. <i>ornatus</i> , Mg. <i>strigatus</i> , Fln. <i>lunulatus</i> , Mg. CHRYSOCHLAMYS , <i>Rnd.</i> <i>cuprea</i> , Scop. <i>ruficornis</i> , F.
--	---	---

CALLIPROBOLA, *Rnd.*✓ speciosa, *Rossi.*ARCTOPHILA, *Schin.*✓ mussitans, *F.*SERICOMYIA, *Mg.*✓ borealis, *Fln.*✓ lappona, *L.*

CHRYSTOXINÆ.

CHRYSTOXUM, *Mg.*✓ cautum, *Harr.*✓ sylvarum, *Mg.*✓ arcuatum, *L.*✓ octomaculatum, *Curt.*✓ elegans, *Lw.*✓ festivum, *L.*✓ vernale, *Lw.*✓ bicinctum, *L.*CALLICERA, *F.*✓ ænea, *F.*

MICRODONTINÆ.

MICRODON, *Mg.*✓ mutabilis, *L.*✓ devius, *L.*✓ latifrons, *Lw.*

CONOPIDÆ.

CONOPINÆ.

CONOPS, *L.*✓ vesicularis, *L.*✓ quadrifasciata, *Deg.*✓ ceriiformis, *Mg.*✓ strigata, *Mg.*✓ flavipes, *L.*

PHYSOCEPHALA,

Schin.✓ nigra, *Deg.*✓ rufipes, *F.*

MYOPINÆ.

ZODION, *Ltr.*✓ cinereum, *F.*ONCOMYIA, *Dsv.*✓ atra, *F.*pusilla, *Mg.*SICUS, *Scop.*✓ ferrugineus, *L.*MYOPA, *F.*✓ buccata, *L.*✓ testacea, *L.*polystigma, *Rnd.*✓ fasciata, *Mg.*dorsalis, *F.*

ÆSTRIDÆ.

GASTROPHILUS,

Leach.✓ equi, *F.*hæmorrhoidalis, *L.*✓ nasalis, *L.*CEPHENOMYIA, *Ltr.*✓ rufibarbis, *Mg.*auribarbis, *Mg.*HYPODERMA, *Ltr.*✓ lineatum, *Vill.*bovis, *Deg.*Diana, *Brau.*ÆSTRUS, *L.*✓ ovis, *L.*biangulatus, *Cooke.*

PHARYNGOMYIA,

*Schin.*picta, *Mg.*

TACHINIDÆ.

TACHININÆ.

MEIGENIA, *Dsv.*egens, *Egg.*✓ bisignata, *Mg.*dorsalis, *Mg.*vernalis, *Dsv.*floralis, *Mg.*majuscula, *Rnd.*VIVIANIA, *Rnd.*cinerea, *Fln.*pacta, *Mg. (pt.).*MERIANIA, *Dsv.*✓ puparum, *F.*MASICERA, *Mcq.*sylvatica, *Fln.*pratensis, *Mg.*~~myiodes~~CEROMASIA, *Rnd.*machairopsis, *Br. & Berg.*angelicæ, *Mg.*agilis, *Mg.*florum, *Mcq.*rutila, *Mg.*festinans, *Mg.*hortensis, *Mg.*juvenilis, *Rnd.*senilis, *Mg.*myiodes, *Dsv.*brevipennis, *Mg.*parva, *Mcq.*✓ stabulans, *Mg.*spectabilis, *Mg.*GYMNOCHÆTA, *Dsv.*✓ viridis, *Fln.*EXORISTA, *Mg.*✓ vetula, *Mg.*chelonix, *Rnd.*agnata, *Rnd.*affinis, *Mg. (Fln. ?).*✓ fimbriata, *Mg.*biserialis, *Mcq.*flavicans, *Rnd.*✓ notabilis, *Mg.*intersita, *Wlk.*intermixta, *Wlk.*floralis, *Meade.*mutabilis, *Fln.*perturbans, *Ztt.*ruficauda, *Ztt.*noctuicida, *Rnd.*jucunda, *Mg.*lucorum, *Mg.*EPICAMPOCERA, *Mcq.*succincta, *Mg.*ambulans, *Mg.*BLEPHARIDEA, *Rnd.*✓ vulgaris, *Fln.*

MYXEXORISTA,

*Br. & Berg.*fauna, *Mg.*

macrops, Br. & Berg.
libatrix, Mg.

FRONTINA, Mg.

nigricans, Egg.
læta, W.
fugax, Rnd.

CAMPYLOCHÆTA, Rnd.

obscura, Fln.

PHOROCERA, Dsv.

serriventris, Rnd.
concinata, Mg.
cilipeda, Rnd.
internexa, Wlk.
pumicata, Mg.
gracilis, Egg.

BOTHRIA, Rnd.

assimilis, Fln.
cæsifrons, Mcq.
segregata, Rnd.
frontosa, Mg.
pascuorum, Rnd.

BLEPHARIPODA, Rnd.

scutellata, Dsv.
major, Mcq.
atropivora, Rnd.
morosa, Mg.

SISYROPA, Br. & Berg.

angusta, Br. & Berg.
hortulana, Egg.
? acronyctarum, Mcq.
lucorum, Rnd.
gnava, Mg.

lota, Mg.
excisa, Fln.

CHÆTOLYGA, Rnd.

analis, Mcq.
amœna, Mg.
glabrata, Mg.
exacta, Wlk.
apicalis, Mg.
quadripustulata, F.
dispecta, Wlk.
nigrithorax, Egg.

TACHINA, Mg.

larvarum, L.
grandis, Egg.
erucarum, Rnd.
rustica, Mg.
noctuarum, Rnd.
latifrons, Rnd.
nigricans, Egg.
præpotens, Mg.?

STOMATOMYIA, Br. & Berg.

filipalpis, Rnd.

PERICHÆTA, Br. & Berg.

unicolor, Fln.

GERMARIA, Dsv.

ruficeps, Fln.

GONIA, Mg.

fasciata, Mg.
divisa, Mg.
capitata, Deg.
ornata, Mg.
trifaria, Zlr.
lateralis, Zlr.
Fœrsteri, Mg.

THELYMORPHA, Br. & Berg.

vertiginosa, Fln.
marmorata, F.

BRACHYCHÆTA, Br. & Berg.

DESVOIDIA, Meade.
spinigera, Rnd.
fusca, Meade.

MONOCHÆTA, Br. & Berg.

leucophæa, Mg.
albicans, Fln.

APOROMYIA, Rnd.

dubia, Fln.

SOMOLIA, Rnd.

rebaptizata, Rnd.
crassitarsis (Polidea), Ztt.
ænea, Mg.

MICRONYCHIA, Br. & Berg.

ruficauda, Ztt.

MINTHO, Dsv.

præceps, Scop.
compressa, F.

MELANOTA, Rnd.

volvulus, F.

PELATACHINA, Meade.

tibialis, Fln.

MACQUARTIA, Dsv.

dispar, Fln.
tenebricosa, Mg.
nitida, Ztt.
affinis, Schin.
grisea, Fln.
spinicincta, Meade.
ciliaris, Ztt.
flavipes, Mg.
cælebs, Mcq.

MACROPROSOPA, Br. & Berg.

atrata, Mg.

LOEWIA, Egg.

setibarba, Egg.
brevifrons, Rnd.

PTILOPS, Rnd.

chalybeata, Mg.

ANTHRACOMYIA, Rnd.

melanoptera, Mg.
nana, Mg.
anthracina, Mg.

DEGEERIA, Mg.

ornata, Mg.
collaris, Fln.
medorina, Schin.
pulchella, Mg.
luctuosa, Mg.
pygmæa, Mcq.
grandicornis, Ztt.

THELAIRA, Dsv.

leucozona, Pz.
nigripes, F.

DEMOTICUS, *Mcq.*

- plebeius, *Fln.*
 longirostris, *Mg.*
 frontatus, *Boh.*
 spretus, *Mg.*

MYIOBIA, *Dsv.*

- aurea, *Fln.*
 fenestrata, *Mg.*
 longipes, *Mg.*
 inanis, *Fln.*
 pacifica, *Mg.*

RHYNCHISTA, *Rnd.*
 proluxa, *Mg.*ZOPHOMYIA, *Mcq.*
 temula, *Scop.*OLIVIERIA, *Dsv.*

- lateralis, *F.*
 rufomaculata, *Deg.*

OCYPTERA, *Ltr.*

- brassicaria, *F.*
 cylindrica, *F.*

OCYPTERULA, *Rnd.*
 pusilla, *Mg.*LOPHOSIA, *Mg.*

- fasciata, *Mg.*

MICROPALPUS, *Mcq.*

- vulpinus, *Fln.*
 comptus, *Fln.*
 fulgens, *Mg.*
 pictus, *Mg.*
 hæmorrhoidalis, *Fln.*
 pudicus, *Rnd.*
 quadraticornis (*Nemoræa*), *Meade.*

ERIGONE, *Dsv.*

- radicum, *F.*
 strenua, *Mg.*
 conjuncta, *Wlk.*
 vagans, *Mg.*
 cæsia, *Fln.*
 rudis, *Fln.*
 nemorum, *Mg.*

- consobrina, *Mg.*
 appendiculata, *Mcq.*
 intermedia, *Ztt.*
 setosa, *Mcq.?*
 vivida, *Ztt.*

ECHINOMYIA, *Dum.*

- grossa, *L.*
 fera, *L.*

FABRICIA, *Dsv.*

- ferox, *L.*

PELETERIA, *Dsv.*
 tessellata, *F.*SERVILLIA, *Dsv.*

- lurida, *F.*
 leucocoma, *Mg.*
 ursina, *Mg.*

PLAGIA, *Mg.*

- ruralis, *Fln.*
 curvinervis, *Ztt.*
 trepida, *Mg.*

THRYPTOCERINÆ.

ANACHÆTOPSIS,
*Br. & Berg.*ocypterina, *Ztt.*PHORICHÆTA, *Rnd.*

- lugens, *Mg.*
 carbonaria, *Pz.*
 tricineta, *Rnd.*

PTYCHONEURA,
Br. & Berg.

- rufitarsis, *Mg.*
 ?rubitarsis, (*Ztt.*)
Meade.

DISCOCHÆTA,
Br. & Berg.

- muscaria, *Fln.*
 cognata, *Schin.*

UROPHYLLA,
Br. & Berg.

- blanda, *Fln.*
 ?seria, *Mg.*
 ?*Dalii* (*Degeeria*),
Meade.

RÆSELIA, *Dsv.*

- antiqua, *Fln.*
 pallipes, *Fln.*
 atra, *Dsv.*

STAUFERIA, *Br. & Berg.*procera, *Mg.*DIGONCHÆTA, *Rnd.*

- spinipennis, *Mg.*
 setipennis, *Fln.*

THRYPTOCERA, *Mcq.*

- pilipennis, *Mg.*
 crassicornis, *Mg.*
 bicolor, *Mg.*
 minutissima, *Ztt.*
 latifrons, *Mg.*

BLEPHAROMYIA,
Br. & Berg.

- amplicornis, *Ztt.*
 incerta, *Meade* (*Phorocera*).

HYPOSTENA, *Mg.*procera, *Mg.*SIPHONA, *Mg.*

- cristata, *F.*
 geniculata, *Deg.*

GYMNOSOMINÆ.

GYMNOSOMA, *Mg.*

- rotundatum, *L.*

CERCOMYIA, *Br. & Berg.*

- curvicauda, *Fln.*
 thoracica, *Mg.?*

PSALIDA, *Rnd.*
 simplex, *Fln.*

PHASINÆ.

PHASIA, *Ltr.*rothi, *Ztt.*ALOPHORA, *Dsv.*

- hemiptera, *F.*
 obesa, *F.*
 pusilla, *Mg.*

CLYTIA, *Dsv.*
continua, *Pz.*
rotundiventris, *Fln.*

TRIXINÆ.

TRIXA, *Mg.*
alpina, *Mg.*
ferruginea, *Mg.*
œstroidea, *Dsv.*
scutellata, *Newm.*
grisea, *Mg.*

FORTISIA, *Rnd.*
fœda, *Mg.*

REDTENBACHERIA,
Schin.
insignis, *Egg.*

PHYTO, *Dsv.*
melanocephala, *Mg.*
parvicornis, *Mg.*
nigra, *Dsv.*

STEVENIA, *Dsv.*
maculata, *Fln.*

MELANOPHORA, *Mg.*
roralis, *L.*
atra, *Mcq.*

RHINOPHORA, *Dsv.*
atramentaria, *Mg.*
melania, *Mg.*
simplicissima, *Lw.*

FRAUENFELDIA, *Egg.*
rubricosa, *Mg.*
trilineata, *Mg.*

BRACHYCOMA, *Rnd.*
devia, *Fln.*
smerinthi, *Meade.*
erratica, *Mg.*

CLISTA, *Mg.*
lepida, *Mg.*
mœrens, *Mg.*
œnescens, *Ztt.*

SARCOPHAGINÆ.

TEPHROMYIA,
Br. & Berg.
grisea, *Mg.*

CYNOMYIA, Dsv.

alpina, *Ztt.*
mortuorum, *L.*

ONESIA, Dsv.

sepulchralis, *Mg.*
cognata, *Mg.*

SARCOPHAGA, Mg.

carnaria, *L.*
similis, *Meade.*
albiceps, *Mg.*
atropos, *Mg.*
melanura, *Mg.*
agricola, *Mg.*
laticornis, *Mg.*
nigriventris, *Mg.*
juvenis, *Rnd.*
clathrata, *Mg.*
adolescens, *Rnd.*
affinis, *Fln.*
dissimilis, *Mg.*
infantula, *Rnd.*
fulvicauda, *Meade.*
haemorrhoidalis, *Mg.*
nurus, *Rnd.*
cruentata, *Mg.*
haematodes, *Mg.*
vulnerata,
Schin.
hæmorrhœa,
Meade.
hæmorrhœa, *Mg.*
offuscata,
Schin.
setipennis,
Rnd.
erythrura, *Fln.*

SARCOPHILA, *Rnd.*
latifrons, *Fln.*

THERIA, *Dsv.*
muscaria, *Mg.*

HETERONYCHIA,
Br. & Berg.
chætoneura, *Br. & Berg.*

NYCTIA, *Dsv.*
halterata, *Pz.*

ENGYOPS, Rnd.

micronyx, *Br. & Berg.*

MILTOGRAMMA, Mg.

punctatum, *Mg.*

METOPODIA,
Br. & Berg.

sp.? cylindrica, *Fln.?*

METOPIA, Mg.

campestris, *Fln.*
argyrocephala, *Mg.*
leucocephala, *Rossi.*
amabilis, *Mg.*
argentata, *Mcq.*
forficulæ, *Newp.*

SPHIXAPATA, Rnd.

conica, *Fln.*
? piligena (*Arrenopus*),
Rnd.

NEMORÆA, Dsv.

nupta, *Rnd.*
rubrica, *Mg.?*

DEXINÆ.

MACRONYCHIA, Rnd.

agrestis, *Fln.*
polyodon, *Mg.*

DEXIOSOMA, Rnd.

caninum, *F.*

MYIOSTOMA, Dsv.

cristatum, *Rnd.*

DEXIA, Mg.

rustica, *F.*
vacua, *Fln.*

PROSENA, St. Farg.

sybarita, *F.*
angustifrons (*Aphria*),
Meade.

DINERA, Mcq.

grisesens, *Fln.*

MYIOCERA, Dsv.

carinifrons, *Fln.*

MUSCIDÆ.

IDIA, *Mg.*
lunata, *F.*

STOMOXYS, *Geoff.*
calcitrans, *L.*

HÆMATOBIA, *Dsv.*
stimulans, *Mg.*
irritans, *L.*
serrata, *Dsv.*

POLLENIA, *Dsv.*
vespillo, *F.*
rudis, *F.*
varia, *Mg.*

MYIOSPILA, *Rnd.*
meditabunda, *F.*

GRAPHOMYIA, *Dsv.*
maculata, *Scop.*
picta, *Ztt.*

MUSCA, *L.*
domestica, *L.*
corvina, *F.*

CYRTONEURA, *Mcq.*
stabulans, *Fln.*
pabulorum, *Fln.*
pascuorum, *Mg.*
cæsia, *Mg.*

MORELLIA, *Dsv.*
simplex, *Lw.*
hortorum, *Fln.*
curvipes, *Mcq.*

MESEMBRINA, *Mg.*
meridiana, *L.*

PYRELLIA, *Dsv.*
cadaverina, *L.*
cyanicolor, *Ztt.*
lasiophthalma, *Mcq.*
eriphthalma, *Mcq.*
serena, *Mg.*

PROTOCOLLIPHORA,
Hough.

AVIHOSPITA, *Hendel.*
azurea, *Fln.*
grœnlandica, *Ztt.*

CALLIPHORA, Dsv.

erythrocephala, *Mg.*
vomitorea, *L.*

EUPHORIA, Desv.

PSEUDOPYRELLIA, *Girsch.*
cornicina, *F.*

LUCILIA, Dsv.

cæsar, *L.*
sylvarum, *Mg.*
sericata, *Mg.*
ruficeps, *Mg.*
illustris, *Mg.*
micans, *Mg.*
nobilis, *Mg.*
splendida, *Mg.*
equestris, *Mg.*
regina, *Mg.*

ANTHOMYIDÆ.**MYDÆINÆ.****POLIETES, Rnd.**

lardaria, *F.*
hirticrura, *Meade.*
albolineata, *Fln.*

HYETODESIA, Rnd.

incana, *W.*
lucorum, *Fln.*
marmorata, *Ztt.*
serva, *Mg.*
dispar, *Fln.*
Goberti, *Mik.*
consobrina, *Ztt.*
obscurata, *Mg.*
variabilis, *Fln.*
longipes, *Ztt.*
umbratica, *Mg.*
semicinerea, *W.*
læta, *Fln.*
perdita, *Mg.*
errans, *Mg.*
signata, *Mg.*
lasiophthalma, *Mcq.*
erratica, *Fln.*
basalis, *Ztt.*
quadrinotata, *Mg.*
boleticola, *Rnd.*
rufipalpis, *Mcq.*

Carbo Sch.

abdominalis, *Ztt.*
scutellaris, *Fln.*
populi, *Mg.*
pallida, *F.*

**ALLÆOSTYLUS,
Schnbl.**

simplex, *W.*
sudeticus, *Schnbl.*
flaveola, *Fln.*

MYDÆA, Dsv.

vespertina, *Fln.*
nigritella, *Ztt.*
allotalla, *Mg.*
urbana, *Mg.*
angelicæ, *Scop.*
tincta, *Ztt.*
pagana, *F.*
affinis, *Meade.*
nigricolor, *Fln.*
impuncta, *Fln.*
separata, *Mg.*

SPHECOLYMA, Perr.

inanis, *Fln.*

SPILOGASTER, Mcq.

nigrinervis, *Ztt.*
maculosa, *Mg.*
notata, *Fln.*
quadrinotata, *Fln.*
duplicata, *Mg.*
communis, *Dsv.*
atripes, *Meade.*
duplaris, *Ztt.*
quadrum, *F.*
fratercula, *Ztt.*
depuncta, *Fln.*
tetrastigma, *Mg.*
flagripes, *Rnd.*
protuberans, *Ztt.*
fuliginosa, *Fln.*
ungulata, *Rnd.*
consimilis, *Fln.*
pertusa, *Mg.*
spinifemorata, *Meade.*
fuscata, *Fln.*
trigonalis, *Mg.*
ciliatocosta, *Ztt.*
scrupulosa, *Ztt.*

platystera Ztt.

LIMNOPHORA, *Dsv.*

- ✓ *compuncta*, *W.*
- ✓ *sororcula*, *Ztt.*
- ✓ *trianguligera*, *Ztt.*
- ✓ *contractifrons*, *Ztt.*
- ✓ *septemnotata*, *Ztt.*
- ✓ *solitaria*, *Ztt.*
- ✓ *litorea*, *Fln.*
- ✓ *triangula*, *Fln.*

MELANOCHILA,
Rnd.

- ✓ *riparia*, *Fln.*

MACRORCHIS, *Rnd.*

- ✓ *meditata*, *Fln.*

CHELISIA, *Rnd.*

- monilis*, *Mg.*

HYDROTÆA, *Dsv.*

- ✓ *ciliata*, *F.*
- ✓ *occulta*, *Mg.*
- ✓ *curvipes*, *Ztt.*
- ✓ *cyrtoneurina*, *Ztt.*
- ✓ *irritans*, *Fln.*
- ✓ *dentimana*, *Mg.*
- ✓ *dentipes*, *F.*
- ✓ *palæstrica*, *Mg.*
- ✓ *similis*, *Meade.*
- ✓ *Rondanii*, *Meade.*
- ✓ *impexa*, *Lw.*
- ✓ *velutina*, *Dsv.*
- ✓ *brevipennis*, *Lw.*
- ✓ *meteorica*, *L.*
- ✓ *armipes*, *F.*
- ✓ *albipuncta*, *Ztt.*
- ✓ *fasciculata*, *Meade.*
- ✓ *parva*, *Meade.*
- ✓ *glabricula*, *Fln.*

OPHYRA, *Dsv.*

- ✓ *leucostoma*, *W.*
- ✓ *anthrax*, *Mg.*

DRYMIA, *Mg.*

- ✓ *hamata*, *Fln.*

POGONOMYIA, *Rnd.*

- ✓ *alpicola*, *Rnd.*

TRICHOPTICUS,
Rnd.

- ✓ *cunctans*, *Mg.*
- ✓ *semipellucidus*, *Ztt.*
- ✓ *rostratus*, *Meade.*
- ✓ *aculeipes*, *Ztt.*
- ✓ *hirsutulus*, *Ztt.*
- ✓ *innocuus*, *Ztt.*
- ✓ *pulcher*, *Meade.*

ANTHOMYINÆ.

HYDROPHORIA, *Dsv.*

- ✓ *ambigua*, *Fln.*
- ✓ *divisa*, *Mg.*
- ✓ *caudata*, *Ztt.*
- ✓ *conica*, *W.*
- ✓ *brunneifrons*, *Ztt.*
- ✓ *linogrisea*, *Mg.*
- ✓ *anthomyia*, *Rnd.*
- ✓ *socia*, *Fln.*
- ✓ *albifrons*, *Meade.*

HYLEMYIA, *Dsv.*

- ✓ *virginea*, *Mg.*
- ✓ *variata*, *Fln.*
- ✓ *spinosa*, *Rnd.?*
- ✓ *lasciva*, *Ztt.*
- ✓ *flavipennis*, *Fln.*
- ✓ *seticrura*, *Rnd.*
- ✓ *cardui*, *Mg.*
- ✓ *nigrescens*, *Rnd.*
- ✓ *pullula*, *Ztt.*
- ✓ *cinerella*, *Mg.*
- ✓ *cinerosa*, *Ztt.*
- ✓ *antiqua*, *Mg.*
- ✓ *grisea*, *Fln.*
- ✓ *strigosa*, *F.*
- ✓ *nigrimana*, *Mg.*
- ✓ *præpotens*, *W.*
- ✓ *puella*, *Mg.*
- ✓ *operosa*, *Mg.*
- ✓ *coarctata*, *Fln.*
- ✓ *penicillaris*, *Rnd.*
- ✓ *criniventris*, *Ztt.*
- ✓ *tibiaria*, *Rnd.*

EUSTALOMYIA, *Kow.*

- ✓ *hilaris*, *Fln.*
- ✓ *festiva*, *Ztt.*

MYCOPHAGA, *Rnd.*

- ✓ *fungorum*, *Deg.*

LASIOPS, *Rnd.*

- Rœderi*, *Kow.*
- ctenoctema*, *Kow.*
- Meadii*, *Kow.*

ANTHOMYIA, *Mg.*

- ✓ *pluvialis*, *L.*
- ✓ *albicincta*, *Fln.*
- ✓ *pratricula*, *Pz.*
- ✓ *radicum*, *L.*
- ✓ *sulciventris*, *Ztt.*

CHORTOPHILA, *Mcq.*

- ✓ *buccata*, *Fln.*
- ✓ *unilineata*, *Ztt.*
- ✓ *albescens*, *Ztt.*
- ✓ *arenosa*, *Ztt.*
- ✓ *striolata*, *Fln.*
- ✓ *cinerea*, *Fln.*
- ✓ *cinerella*, *Fln.*
- ✓ *curvicauda*, *Ztt.*
- ✓ *trapezina*, *Ztt.*
- ✓ *impudica*, *Rnd.*
- ✓ *odontogaster*, *Ztt.*
- ✓ *cinerea*, ♀ *Meade.*
- ✓ *sepia*, *Mg.*
- ✓ *Billbergi*, *Ztt.*
- ✓ *sylvestris*, *Fln.*
- ✓ *longula*, *Fln.*

PHORBIA, *Dsv.*

- ✓ *floccosa*, *Mcq.*
- ✓ *transversalis*, *Ztt.*
- ✓ *discreta*, *Mg.*
- ✓ *impudica*, *Rnd.*
- ✓ *dissecta*, *Mg.*
- ✓ *lactucæ*, *Bouché.*
- ✓ *seneciella*, *Meade.* ?
- ✓ *intersecta*, *Mg.?*
- ✓ *obscura*, *Mcq.*
- ✓ *muscaria*, *Mg.*
- ✓ *histrio*, *Ztt.*
- ✓ *cilicrura*, *Rnd.*
- ✓ *trichodactyla*, *Rnd.*
- ✓ *florilega*, *Ztt.*
- ✓ *vetula*, *Ztt.?*
- ✓ *ignota*, *Rnd.*
- ✓ *cepetorum*, *Meade.*
- ✓ *cinerea*, ♂ *Meade.*
- ✓ *neglecta*, *Meade.*
- ✓ *exigua*, *Meade.*

PEGOMYIA, Dsv.

- X*betæ, Curt.
 conformis, Fln.
 palliceps, Ztt.
*X*hæmorrhous, Ztt.
*X*rufipes, Fln.
*X*transversa, Fln.
 transgressa, Ztt.
*X*latitarsis, Ztt.
*X*bicolor, W.
*X*nigritarsis, Ztt.
*X*fulgens, Mg.
 exilis, Mg.
*X*ephippium, Ztt.
 versicolor, Mg.
*X*flavipes, Fln.
 vittigera, Ztt.
 silacea, Mg.
*X*unittata Ros
 CHIROSIA, Rnd.
*X*albitarsis, Ztt.

HOMALOMYINÆ.

HOMALOMYIA,
Bouché.

- X*hamata, Mcq.
 aprica, Hal.
*X*fuscata, Fln.
*X*pretiosa, Schin.
 Roserii, Rnd.
*X*pallitibia, Rnd.
*X*manicata, Mg.
*X*monilis, Hal.
*X*scalaris, F.
*X*canicularis, L.
*X*armata, Mg.
*X*aërea, Ztt.
 carbonaria, Meade.
 umbrosa, Stein.
*X*coracina, Lw.
 Kowarzi, Verr.
 Verrallii, Stein.
*X*postica, Stein.
 sociella, Ztt.
X?lepada, W.
 triangulifera, Meade.
*X*similis, Stein.
*X*parva, Stein.
*X*serena, Fln.
*X*corvina, Verr.
*X*polychæta, Stein.
X?lepada, W.

- glaucescens, Ztt.
 herniosa, Rnd.
*X*incisurata, Ztt.
 vesparia, Meade.
*X*mutica, Ztt.
 triangulifera, Rnd.
 nigrisquama, Meade.
*X*genualis, Stein.

PIEZURA, Rnd.

- X*pardalina, Rnd.

AZELIA, Dsv.

- X*Macquarti, Stæg.
*X*Zetterstedti, Rnd.
*X*cilipes, Hal.
*X*triquetra, W.
 gibbera, Mg.
 aterrima, Mg.
 CŒLOMYIA, Hal.
*X*mollissima, Hal.

CŒNOSINÆ.

CARICEA, Dsv.

- X*tigrina, F.
 exsul, Ztt.
*X*humilis, Mg.
 sexmaculata, Mg.
*X*intermedia, Fln.
*X*means, Mg.
 ALLOGNOTA, Pok.
 agromyzella, Rnd.

CŒNOSIA, Mg.

- X*infantula, Rnd.
*X*elegantula, Rnd.
 tricolor, Meade.
 pallicornis, Ztt.
*X*sexnotata, Mg.
 genualis, Rnd.
 geniculata, Fln.
*X*verna, F. ?
 pedella, Fln.
 costata, Mg.
 pictipennis, Lw.

ATHERIGONA, Rnd.

- varia, Mg.

HOPLOGASTER, Rnd.

- X*mollicula, Fln.

LISPE, Ltr.

- X*tentaculata, Deg.
 litorea, Fln.
 gemina, v. d. Wulp.
 crassiuscula, Lw.
 uliginosa, Fln.
 pulchella, Lw.

FUCELLIA, Dsv.

- X*fucorum, Fln.
*X*maritima, Hal.
 muscaria, Ztt.

CORDYLURIDÆ.

CORDYLURA, Fln.

- X*pudica, Mg.
 rufimana, Mg.
*X*pubera, F.
*X*ciliata, Mg.
 umbrosa, Mg.
 biseta, Lw.
 similis, Siebke.
 rufipes, Mg.

PARALLELOMMA,
Beck.

- X*albipes, Fln.
 vittata, Mg.

CNEMOPOGON, Rnd.
apicalis, Mg.LEPTOPA, Ztt.
filiformis, Ztt.

AMAUROSOMA, Beck.

- X*fasciata, Mg.
 brevipennis, Curt.
 tibiella, Ztt.
*X*inermis Beck

NORELLIA, Dsv.

- X*spinimana, Fln.
 flavicauda, Mg.
 nervosa, Mde. (nec Mg.).
 striolata, Mg. pt.
*X*liturata, Mg.
 spinigera, Ztt.

HYDROMYZA, Flu.

- X*livens, F.

POGONOTA, Ztt.
 ✕ hircus, Ztt.
 MICROPROSOPA,
 Beck.
 pallipes, Ztt.
 heteromyzina, Ztt.
 TRICHOPALPUS, Rnd.
 ✕ fraternus, Mg.
 ✕ punctipes, Mg.
 SPATHIOPHORA, Rnd.
 hydromyzina, Fln.
 Falleni, Schin.
 SCATOPHAGA, Mg.
 ✕ scybalaria, L.
 tæniopa, Rnd.
 ✕ suilla, F.
 spurca, Mg.
 scatomyzoides, Ztt.
 ✕ inquinata, Mg.
 ✕ maculipes, Ztt.
 ordinata, Beck.
 ✕ analis, Mg.
 ✕ lutaria, F.
 ✕ stercoraria, L.
 merdaria, F. ✕
 ✕ squalida, Mg.
 ✕ litorea, Fln.
 villipes, Ztt.
 fontanalis, Rnd.
 maculipennis, Beck. (in
 litt.)
 arrogans, Hal.
 calida, Hal.
 rudis, Hal.
 decipiens, Hal.
 dalmatica, Beck.
 ✕ eximia, Hal.
 CERATINOSTOMA,
 Meade.
 ostiorum, Hal.
 CONIOSTERNUM,
 Beck.
 obscurum, Fln.
 CLIDOGASTRA, Mcq.
 nigrita, Fln.
 GYMNOMERA, Rnd.
 tarsea, Fln.
 dorsata, Ztt.

THYREOPHORA, Mg.
 furcata, F.
 PHYCODROMIDÆ.
 ORYGMA, Mg.
 luctuosum, Mg.
 PHYCODROMA, Stnh.
 sciomyzina, Hal.
 CÆLOPA, Mg.
 pilipes, Hal.
 frigida, Mg.
 FUCOMYIA, Hal.
 gravis, Hal.
 eximia, Stnh.
 frigida, Fln.
 parvula, Hal.
 glabra, Wlk.
 HELOMYZIDÆ.
 HELOMYZA, Fln.
 humilis, Mg.
 ✕ inornata, Lw.
 ✕ rufa, Fln.
 variegata, Lw.
 ✕ pectoralis, Lw.
 affinis, Mg.
 ✕ flava, Mg.
 ✕ similis, Mg.
 ✕ lævifrons, Lw.
 suilloidea, (Desv.) Hal.
 ustulata, Mg.
 montana, Lw.
 ✕ Zetterstedtii, Lw.
 ✕ pallida, Fln. (nec Ztt.)
 olens, (Mg.?) Lw.
 ✕ flavifrons, Ztt.
 ALLOPHYLA, Lw.
 ✕ atricornis, Lw.
 SCOLIOCENTRA, Lw.
 ✕ villosa, Mg.
 ECOTHEA, Hal.
 fenestralis, Fln.
 ECCOPTOMERA, Lw.
 sp.?

BLEPHAROPTERA, Lw.
 ✕ spectabilis, Lw.
 ✕ ruficauda, Ztt.
 ✕ inscripta, Mg.
 ✕ humeralis, Ztt.
 flavicornis, Lw.
 ✕ ruficornis, Mg.
 ✕ serrata, L.
 ✕ modesta, Mg.
 HETEROMYZA, Fln.
 ✕ atricornis, Mg.
 commixta, Coll.
 rotundicornis, Meade
 (nec Ztt.)
 ✕ oculata, Fln.
 magnicornis, Lw.
 TEPHROCHLAMYS, Lw.
 ✕ rufiventris, Mg.
 ✕ flavipes, Ztt.
 HETERONEURIDÆ.
 HETERONEURA, Fln.
 ✕ albibana, Mg.
 alpina, Lw.
 nigrimana, Lw.
 STOMPHASTICA, Lw.
 ✕ flava, Mg.
 tigrina, Fln.
 decora, Lw.
 TRIGONOMETOPUS,
 Mcq.
 ✕ frontalis, Mg.
 SCIOMYZIDÆ.
 LUCINA, Mg.
 fasciata, Mg.
 ACTORA, Mg.
 æstum, Mg.
 CEDOPAREA, Lw.
 ✕ buccata, Fln.
 DRYOMYZA, Fln.
 ✕ flaveola, F.
 decrepita, Ztt.
 ✕ Senilis Ztt.

NEUROCTENA, *Rnd.*H anilis, *Fln.*

NEOTTIOPHILUM,

*Frfd.*H præustum, *Mg.*SCIOMYZA, *Fln.*brevipennis, *Ztt.*✓ glabricula, *Fln.*nigrimana, *Mg.*H pallida, *Fln.*H fuscinervis, *Ztt.*H obtusa, *Fln.*bifasciella, *Fln.*H nana, *Fln.*H Schœnherri, *Fln.*✓ cinerella, *Fln.*H dubia, *Fln.*H pallidiventris, *Fln.*virgata, *Hal.*pallidicarpa, *Rnd.*H ventralis, *Fln.*pusilla, *Ztt.*simplex, *Fln.*lata, *Schin.*H dorsata, *Ztt.*H ruficeps, *Ztt.*H griseola, *Fln.*nasuta, *Ztt.*H albocostata, *Fln.*vittata, *Hal.*PHÆOMYIA, *Schin.*H fuscipennis, *Mg.*PELIDNOPTERA, *Rnd.*nigripennis, *F.*TETANOCERA, *Dum.*H elata, *F.*H lævifrons, *Lw.*H sylvatica, *Mg.*H unicolor, *Lw.*H ferruginea, *Fln.*robusta, *Lw.*punctata, *F.*H coryleti, *Scop.*H reticulata, *F.*H umbrarum, *L.*H punctulata, *Scop.*
chærophylli, *F.*
coryleti, *Schin. (nec Scop.)*LIMNIA, *Dsv.*H marginata, *F.*H unguicornis, *Scop.*H rufifrons, *F.*H obliterata, *F.*ELGIVA, *Mg.*H albiseta, *Scop.*H dorsalis, *F.*✓ lineata, *Fln.*H rufa, *Pz.*H cucularia, *L.*SEPEDON, *Ltr.*H sphegeus, *F.*H spinipes, *Scop.*

PSILIDÆ.

PSILA, *Mg.*H fimetaria, *L.*✓ rufa, *Mg.*H pallida, *Fln.*debilis, *Egg.*pectoralis, *Mg.*✓ rosæ, *F.*H nigricornis, *Mg.*atra, *Mg.*✓ nigra, *Fln.*H bicolor, *Mg.*villosula, *Mg.*PSILOSOMA, *Ztt.*Lefebvrii, *Ztt.*CHYLIZA, *Fln.*atriseta, *Mg.*annulipes, *Mcq.*H leptogaster, *Pz.*LOXOCERA, *Mg.*H aristata, *Pz.*var. *Yerburyi, Aust.*H albiseta, *Schrk.*sylvatica, *Mg.*nigrifrons, *Mcq.*fulviventris, *Mg.*LISSA, *Mg.*H loxocerina, *Fln.*

MICROPEZIDÆ.

MICROPEZA, *Mg.*H corrigiolata, *L.*lateralis, *Mg.*CALOBATA, *Mg.*ephippium, *F.*✓ cibaria, *L.*✓ cothurnata, *Pz.*H petronella, *L.*adusta, *Lw.*trivialis, *Lw.*H stylifera, *Lw.*sellata, *Mg.*

ORTALIDÆ.

ORTALINÆ.

DORYCERA, *Mg.*H graminum, *F.*TETANOPS, *Fln.*myopina, *Fln.*PTILONOTA, *Lw.*H guttata, *Mg.*centralis, *F.*ORTALIS, *Fln.*gangrænosa, *F.*ornata, *Mg.*LOXODESMA, *Lw.*lacustris, *Mg.*PTEROPÆCTRIA, *Lw.*✓ afflicta, *Mg.*✓ nigrina, *Mg.*paludum, *Fln.*palustris, *Mg.*H frondescentiæ, *L.*oscillans, *Mg.*mærens, *Mg.*CEROXYS, *Mcq.*H pictus, *Mg.*H crassipennis, *F.*H omissus, *Mg.*ANACAMPTA, *Lw.*H urticæ, *L.*hyalinata, *Pz.*

PLATYSTOMINÆ.PLATYSTOMA, *Mg.*✂ seminationis, *F.*RIVELLIA, *Dsv.*✂ syngenesiæ, *F.***ULIDINÆ.**SEOPTERA, *Kirby.*✂ vibrans, *L.*ULIDIA, *Mg.*erythrophthalma, *Mg.*CHRYSOMYZA, *Fln.*✂ demandata, *F.***TRYPETIDÆ.**CERATITIS, *McLeay.*capitata, *W.*PLATYPAREA, *Lw.*discoidea, *F.*ANOMŒA, *Wlk.*✂ antica, *W.*ACIURA, *Dsv.*✂ rotundiventris, *Fln.*ACIDIA, *Dsv.*✂ cognata, *W.*✂ heraclei, *L.*✂ lychnidis, *F.*GONYGLOSSUM, *Rnd.*Wiedemanni, *Mg.*CHÆTOSTOMA, *Rnd.*curvinervis, *Rnd.*SPILOGRAPHA, *Lw.*abrotani, *Mg.*✂ Zoë, *Mg.*hamifera, *Lw.*✂ artemisiæ, *F.*✂ alternata, *Fln.*Meigenii, *Lw.*RHAGOLETIS, *Lw.*cerasi, *L.*RHACOCHLÆNA, *Lw.*toxoneura, *Lw.*TRYPETA, *Mg.*jaceæ, *Dsv.*falcata, *Scop.*✂ onotrophes, *Lw.*✂ cornuta, *F.*✂ tussilaginis, *F.*lappæ, *Cedj.*✂ florescentiæ, *L.*colon, *Mg.*serratulæ, *L.*MYOPITES, *Breb.*Blotii, *Breb.*inulæ, *v. Roser.*Frauenfeldi, *Schin.*UROPHORA, *Dsv.*spoliata, *Hal.*macrura, *Lw.*✂ solstitialis, *L.*✂ stylata, *F.*aprica, *Fln.*✂ quadrifasciata, *Mg.*✂ cardui, *L.*SPHENELLA, *Lw.*✂ marginata, *Fln.*CARPHOTRICHIA, *Lw.*✂ guttularis, *Mg.*✂ pupillata, *Fln.*ICTERICA, *Lw.*✂ Westermanni, *Mg.*ENSINA, *Dsv.*✂ sonchi, *L.*TEPHRITIS, *Ltr.*parietina, *L.*✂ miliaria, *Schrk.*✂ corniculata, *Fln.*flavipennis, *Lw.*✂ proboscidea, *Lw.*✂ plantaginis, *Hal.*tessellata, *Lw.*✂ absinthii, *F.*elongatula, *Lw.*hyoscyami, *L.*formosa, *Lw.*conura, *Lw.*ruralis, *Lw.*✂ vespertina, *Lw.*dioscurea, *Lw.*leontodontis, *Deg.*✂ bardanæ, *Schrk.*EUARESTA, *Lw.*✂ conjuncta, *Lw.*guttata, *Fln.*URELLIA, *Dsv.*cometa, *Lw.*eluta, *Mg.*amœna, *Frfd.*✂ stellata, *Fuessl.***LONCHÆIDÆ.**LONCHÆA, *Fln.*✂ vaginalis, *Fln.*chorea, *F.*tarsata, *Fln.*✂ palposa, *Ztt.*ænea, *Mg.*pusilla, *Mg.*latifrons, *Mg.*nigra, *Mg.*nigrimana, *Mg.*PALLOPTERA, *Fln.*✂ saltuum, *L.*✂ ustulata, *Fln.*✂ umbellatarum, *F.*parallela, *Lw.*ambusta, *Mg.*✂ trimacula, *Mg.*✂ arcuata, *Fln.*✂ usta, *Mg.*TOXONEURA, *Mcq.*✂ muliebris, *Harr.*fasciata, *Mcq.***SAPROMYZIDÆ.**PEPLOMYZA, *Hal.*✂ Wiedemanni, *Lw.*? Baumhaueri, *Lw.*SAPROMYZA, *Fln.*✂ longipennis, *F.*lupulina, *F.*

- fasciata*, Fln.
inusta, Mg.
spectabilis, Lw.
flaviventris, Costa.
decempunctata, Fln.
notata, Fln.
pallidiventris, Fln.
bipunctata, Mg.
quadripunctata, L.
obsoleta, Fln.
pallida, Fln.
sordida, Hal.
biumbrata, Lw.
torida, Fln. ?
præusta, Fln.
albiceps, Fln.
placida, Mg.
plumicornis, Fln.
tarsella, Ztt.
decipiens, Lw.
apicalis, Lw.
anisodactyla, Lw.
difformis, Lw.

LAUXANIA, Ltr.

- cylindricornis*, F.
Elisæ, Mg.
atrimana, Mg.
ænea, Fln.
geniculata, F.
hyalinata, Mg.
amica, Hal.

OPOMYZIDÆ.

BALIOPTERA, Lw.

- tripunctata*, Fln.
combinata, L.
venusta, Mg.

OPOMYZA, Fln.

- germinationis*, L.
florum, F.
asteia, Hal.

PELETHOPHILA,
Hagenb.

- lutea*, Fln.
flava, L.

RHICNOËSSA, Lw.
cinerella, Hal.

- TETANURA, Fln.
pallidiventris, Fln.

SEPSIDÆ.

SEPSIS, Fln.

- punctum*, F.
pectoralis, Mcq.
violacea, Mg.
cynipsea, L.
flavimana, Mg.
nigripes, Mg.
pilipes, v. d. Wulp.
ornata, Mg.
maculipes, Wlk.
concinna, Wlk.
duplicata, Hal.

NEMOPODA, Dsv.

- cylindrica*, F.
stercoraria, Dsv.
nigricornis, Mg.
tarsalis, Wlk.
fumipennis, Wlk.

HENICITA, Westw.

- annulipes*, Mg.
Leachi, Mg.

THEMIRA, Dsv.

- putris*, L.
pilosa, Dsv.
spinosa, Verr.
superba, Hal.
minor, Hal.

SALTELLA, Dsv.

- sphondylii*, Schrk.
scutellaris, Fln.
nigripes, Dsv.

MYCETAULUS, Lw.

- bipunctatus*, Fln.

PIOPHILIDÆ.

PIOPHILA, Fln.

- casei*, L.
luteata, Hal.
atrata, F.
varipes, Mg.
affinis, Mg.

- nigrimana*, Mg.
nigriceps, Mg.
latipes, Mg.
nigricornis, Mg.
apii, Westw.

MADIZA, Fln.

- glabra*, Fln.
latipes, Mg.

GEOMYZIDÆ.

ANTHOMYZA, Fln.

- grisea*, Fln.
gracilis, Fln.
flavipes, Ztt.

GEOMYZA, Fln.

- marginella*, Fln.
sabulosa, Hal.
cingulata, Hal.
obscurella, Fln.

DIASTATA, Mg.

- punctum*, Mg.
obscuripennis, Mg.
nigripennis, Lw.
unipunctata, Ztt.
costata, Mg.
fulvifrons, Hal.
nebulosa, Fln.

TETHINA, Hal.

- illota*, Hal.

EPHYDRIDÆ.

NOTIPHILINÆ.

DICHÆTA, Mg.

- caudata*, Fln.

NOTIPHILA, Fln.

- uliginosa*, Hal.
nigricornis, Stnh.
stagnicola, Mcq. (nec
Stnh.).

australis Lw.

- guttiventris*, Stnh.
maculata, Stnh.
venusta, Lw.
riparia, Mg.
cinerea, Fln.
dorsata, Stnh.
annulipes, Stnh.

TRIMERINA, *Mcq.*
madizans, *Fln.*

DISCOMYZA, *Mg.*
incurva, *Fln.*
cimiciformis, *Hal.*

PSILOPA, *Fln.*
leucostoma, *Mg.*
nitidula, *Fln.*
compta, *Mg.*
nigritella, *Stnh.*

DISCOCERINA, *Mcq.*
obscura, *Fln.*
nigrina, *Mg.*
calceata, *Mg.*
✓ pulicaria, *Hal.*

ATHYROGLOSSA, *Lw.*
glabra, *Mg.*

HECAMEDE, *Hal.*
albicans, *Mg.*

HYDRELLINÆ.

GLENANTHE, *Hal.*
ripicola, *Hal.*

HYDRELLIA, *Dsv.*
albilabris, *Mg.*
thoracica, *Hal.*
laticeps, *Stnh.*
flavilabris, *Stnh.*
discolor, *Stnh.*
hydrocotyles, *Hal.*
porphyrops, *Hal.*
✓ griseola, *Fln.*
chrysostoma, *Mg.*
nigripes, *Ztt.*
cochleariæ, *Hal.*
✓ ranunculi, *Hal.*
tarsata, *Hal.*
albiceps, *Mg.*

ATISSA, *Hal.*
pygmæa, *Hal.*

PHILHYGRIA, *Stnh.*
picta, *Fln.*
✓ punctatonervosa, *Fln.*
stictica, *Mg.*

interrupta, *Hal.*
flavipes, *Fln.*
posticata, *Mg.*
interstincta, *Fln.*

HYADINA, *Hal.*
✓ scutellata, *Hal.*
✓ guttata, *Fln.*

AXYSTA, *Hal.*
cesta, *Hal.*

PELINA, *Hal.*
ænea, *Hal.*
ænescens, *Stnh.*

OCHTHERA, *Ltr.*
✓ mantis, *Deg.*

EPHYDRINÆ.

CANACE, *Hal.*
nasica, *Hal.*
ranula, *Lw.*

PARHYDRA, *Stnh.*
pusilla, *Mg.*
pubera, *Lw.*
fossarum, *Hal.*

✓ quadripunctata, *Mg.*
✓ aquila, *Fln.*
✓ coarctata, *Fln.*
litoralis, *Mg.*

HALMOPOTA, *Hal.*
salinarum, *Bouché.*

EPHYDRA, *Fln.*
riparia, *Fln.*
halophila, *v. Heyd.*
✓ micans, *Hal.*
breviventris, *Lw.*

ILYTHEA, *Hal.*
spilota, *Hal.*

CÆNIA, *Dsv.*
defecta, *Hal.*
obscura, *Mg.*
palustris, *Fln.*
albula, *Mg.*

SCATELLA, *Dsv.*
✓ quadrata, *Fln.*
sibilans, *Hal.*

sorbillans, *Hal.*
æstuans, *Hal.*
✓ stagnalis, *Fln.*
lutoso, *Hal.*
noctula, *Mg.*
leucostoma, *Mg.*

SCATOPHILA, *Beck.*
cribrata, *Stnh.*
despecta, *Hal.*

TICHOMYZA, *Mcq.*
fusca, *Mcq.*

MOSILLUS, *Ltr.*
✓ subsultans, *F.*

DROSOPHILIDÆ.

LEUCOPHENGIA, *Mik.*
✓ maculata, *Duf.*
SCAPTOMYZA, *Hardy.*
flaveola, *Mg.*
✓ graminum, *Fln.*
flava, *Fln.*
gracilis, *Wlk.*

DROSOPHILA, *Fln.*

✓ transversa, *Fln.*
✓ phalerata, *Mg.*
melanogaster, *Mg.*
✓ fenestrarum, *Fln.*
confusa, *Stæg.*
funebria, *F.*
tristis, *Fln.*
obscura, *Fln.*
litoralis, *Mg.*
✓ cameraria, *Hal.*
nigrita, *Hal.*
ingrata, *Hal.*

NOTEROPHILA, *Rnd.*
glabra, *Fln.*

AULACIGASTER, *Mcq.*
rufitarsis, *Mcq.*

ACLETOXENUS, *Frfd.*
✓ syrphoides, *Frfd.*

STEGANA, *Mg.*
✓ coleoptrata, *Scop.*
curvipennis, *Fln.*

Phortica
✓ *variegata* *Schn.*

CHLOROPIDÆ.LIPARA, *Mg.*

- ✓ *lucens*, *Mg.*
rufitarsis, *Lw.*

EURINA, *Mg.*
lurida, *Mg.*PLATYCEPHALA, *Fln.*
umbraculata, *F.*
✓ *planifrons*, *F.*CAMAROTA, *Mg.*
flavitaris, *Mg.*SELACHOPS, *Whlbg.*
flavocincta, *Whlbg.*MEROMYZA, *Mg.*

- ✓ *pratorum*, *Mg.*
✓ *saltatrix*, *L.*
✓ *variegata*, *Mg.*
nigriventris, *Mcq.*
læta, *Mg.*

CENTOR, *Lw.*

- ✓ *cereris*, *Fln.*
myopinus, *Lw.*
nudipes, *Lw.*

ANTHRACOPHAGA,
Lw.

- strigula*, *F.*
frontosa, *Mg.*

HAPLEGIS, *Lw.*
tarsata, *Fln.*
divergens, *Lw.*
rufifrons, *Lw.*EUTROPHA, *Lw.*
fulvifrons, *Hal.*DIPLOTOXA, *Lw.*
messoria, *Fln.*CHLOROPS, *Mg.*

- ✓ *Meigenii*, *Lw.*
brevimana, *Lw.*
✓ *tæniopus*, *Mg.*
puncticollis, *Ztt.*
speciosa, *Mg.*
læta, *Mg.*
rufina, *Ztt.*

- ✓ *scalaris*, *Mg.*
gracilis, *Mg.*
cinctipes, *Mg.*
lateralis, *Hal.*
✓ *hypostigma*, *Mg.*
CHLOROPISCA, *Lw.*

- ornata*, *Mg.*
✓ *glabra*, *Mg.* ?

OSCINIS, *Ltr.*

- albiseta*, *Mg.*
maura, *Fln.*
rapta, *Hal.*
frit, *L.*
vastator, *Curt.*
granarius, *Curt.*
pusilla, *Mg.*

SIPHONELLA, *Mcq.*

- lævigata*, *Fln.*
capreolus, *Hal.*
palposa, *Fln.*

ELACHYPTERA, *Mcq.*

- brevipennis*, *Mg.*
✓ *cornuta*, *Fln.*

MILICHIDÆ.CACOXENUS, *Lw.*
indagator, *Lw.*MILICHIA, *Mg.*

- ✓ *ornata*, *Ztt.*

PHYLLOMYZA, *Fln.*
securicornis, *Fln.***AGROMYZIDÆ.**DESMOMETOPA, *Lw.*
M-atrum, *Mg.*AGROMYZA, *Fln.*

- vagans*, *Fln.*
lacteipennis, *Fln.*
obscura, *Fln.*
lutea, *Mg.*
pusilla, *Mg.*
✓ *nigripes*, *Mg.*
✓ *flaveola*, *Fln.*
nana, *Mg.*
✓ *exigua*, *Mg.*
latipes, *Mg.*

- pistaciæ*, *Curt.*
violæ, *Curt.*
flavonotata, *Hal.*
geniculata, *Fln.*

CERATOMYZA, *Schin.*

- ✓ *denticornis*, *Pz.*

LIOMYZA, *Mcq.*

- glabricula*, *Mg.*
flavipes, *Fln.*

LEUCOPIS, *Mg.*

- puncticornis*, *Mg.*
✓ *obscura*, *Hal.*
griseola, *Fln.*
annulipes, *Ztt.*

OCHTHIPHILA, *Fln.*

- ✓ *polystigma*, *Mg.*
juncorum, *Fln.*
aridella, *Fln.*
✓ *geniculata*, *Hal.*
flavipalpis, *Hal.*
maritima, *Ztt.*
spectabilis, *Lw.*

SCHÆNOMYZA, *Hal.*

- litorella*, *Fln.*
fasciata, *Mg.*

PHYTOMYZIDÆ.NAPOMYZA, *Hal.*

- ✓ *lateralis*, *Fln.*

PHYTOMYZA, *Fln.*

- plantaginis*, *Gour.*
nigricans, *Mcq.*
albipennis, *Fln.*
notata, *Mg.*
rufipes, *Mg.*
analisis, *Ztt.*
Zetterstedtii, *Schin.*

- ✓ *flava*, *Fln.*
flaviventris, *Ztt.*
populicola, *Wlk.*
aquilegiæ, *Hardy.*

CHROMATOMYZIA,
Hardy.

- ilicis*, *Curt.*
obscura, *Fln.*
nigra, *Mg.*

✓ *affinis*, *Mg.*
albiceps, *Mg.*
flaviceps, *Mcq.*
cinereifrons, *Hardy.*

ASTIADÆ.

ASTIA, *Mg.*

concinna, *Mg.*
amoena, *Mg.*

BORBORIDÆ.

BORBORUS, *Mg.*

nitidus, *Mg.*
notabilis, *Coll.*
✓ *niger*, *Mg.*
✓ *suillorum*, *Hal.*
Roseri, *Rnd.*
pallifrons, *Fln.*
pedestris, *Mg.*
longipennis, *Hal.*
✓ *vitripennis*, *Mg.*
sordidus, *Ztt.*
✓ *equinus*, *Fln.*
nigrifemoratus, *Mcq.*
✓ *geniculatus*, *Mcq.*

SPHÆROCERA, *Ltr.*

✓ *subsultans*, *F.*
✓ *monilis*, *Hal.*
eximia, *Coll.*
denticulata, *Mg.*
vaporariorum, *Hal.*
✓ *pusilla*, *Fln.*
scabricula, *Hal.*

LIMOSINA, *Mcq.*

lugubris, *Hal.*
acutangula, *Ztt.*
vagans, *Hal.*
ferruginata, *Stnh.*
fuscipennis, *Hal.*
✓ *fontinalis*, *Fln.*
roralis, *Rnd.*
lutosa, *Stnh.*
Halidayi, *Coll.*
✓ *limosa*, *Fln.*
geniculata, *Mcq.*
Zosteræ, *Hal.*
✓ *pumilio*, *Mg.*
flaviceps, *Stnh.*
sylvatica, *Mg.*
curtiventris, *Stnh.*

ochripes, *Mg.*
scutellaris, *Hal.*
erratica, *Hal.*
nivalis, *Hal.*
clunipes, *Mg.*
heteroneura, *Hal.*
rufilabris, *Stnh.*
✓ *crassimana*, *Hal.*
quisquilia, *Hal.*
fungicola, *Hal.*
vitripennis, *Ztt.*
coxata, *Stnh.*
spinipennis, *Hal.*
minutissima, *Ztt.*
mirabilis, *Coll.*
nigerrima, *Hal.*
atomus, *Rnd.*
melania, *Hal.*
leucoptera, *Hal.*

PHORIDÆ.

CONICERA, *Mg.*

✓ *atra*, *Mg.*
similis, *Hal.*

PLATYPHORA, *Verr.*

Lubbocki, *Verr.*

GYMNOPHORA, *Mcq.*

✓ *arcuata*, *Mg.*

TRINEURA, *Mg.*

aterrima, *F.*
✓ *velutina*, *Mg.*
stictica, *Mg.*

PHORA, *Ltr.*

opaca, *Mg.*
trinervis, *Beck.*
✓ *lugubris*, *Mg.*
✓ *thoracica*, *Mg.*
✓ *urbana*, *Mg.*
fennica, *Beck.*
✓ *crassicornis*, *Mg.*
✓ *concinna*, *Mg.*
✓ *maculata*, *Mg.*
unispinosa, *Ztt.*
dorsalis, *Beck.*
erythronota, *Strobl.*
✓ *curvinervis*, *Beck.*
✓ *abdominalis*, *Fln.*
✓ *incrassata*, *Mg.*
✓ *carinifrons*, *Ztt.*

autumnalis, *Beck.*
formicarum, *Verr.*
pygmæa, *Ztt.*

✓ *fasciata*, *Fln.*

✓ *lutea*, *Mg.*

✓ *melanocephala*, *v. Ros.*

✓ *rufipes*, *Mg.*

pulicaria, *Fln.*

minor, *Ztt.*

ciliata, *Ztt.*

flava, *Fln.*

gracilipes, *Mg.*

✓ *pumila*, *Mg.*

fuscipes, *Mcq.*

funebria, *Mg.*

floreana, *F.*

METOPINA, *Mcq.*

✓ *galeata*, *Hal.*

EPROBOSCIDEA.

HIPPOBOSCIDÆ.

HIPPOBOSCA, *L.*

✓ *equina*, *L.*

ORNITHOMYIA, *Ltr.*

✓ *ayicularia*, *L.*
✓ *stegopoda*, *Shp.*
STENOPTERYX,
Leach.

hirundinis, *L.*

OXYPTERUM, *Leach.*

pallidum, *Leach.*

Kirbyanum, *Leach.*

LIPOPTENA, *Nitz.*

✓ *cervi*, *L.*

MELOPHAGUS, *Ltr.*

✓ *ovinus*, *L.*

BRAULIDÆ.

BRAULA, *Nitz.*

cæca, *Nitz.*

NYCTERIBIDÆ.

NYCTERIBIA, *Ltr.*

Latreillii, *Leach.*

Hermanni, *Leach.*

INDEX.

	PAGE		PAGE		PAGE		PAGE
Achalcus.....	19	Atherix	15	Ceratinostoma	30	Conops.	23
Acidia	32	Athyroglossa.....	34	Ceratitis	32	Cordyla	8
Aciura	32	Atissa	34	Ceratomyza	35	Cordylura	29
Acletoxenus	34	Atylotus	15	Ceratopogon	12	Corethra	12
Acnemia	9	Aulacigaster	34	Ceratopsyllus	7	Corynoneura	11
Acrocera	16	Axysta	34	Cercomyia	25	Cricotopus	11
Actora	30	Azana	9	Ceromasia	23	Criorrhina	22
Acyphona	13	Azelia	29	Ceroplatus	10	Ctenophora	14
Adelphomyia	14	Baccha.....	22	Ceroxys	31	Ctenopsyllus	7
Aedes	12	Balioptera	33	Chætolyla	24	Culex	12
Agathomyia	20	Bathycranium	20	Chælostoma	32	Cylindrotoma	14
Agromyza	35	Beris	15	Chalarus	20	Cynomyia	26
Allocotocera	9	Bibio	10	Chamædipsia	17	Cynorrhina	22
Allodia.....	9	Blepharidea	23	Chamæsyrrhus ..	22	Cyrtoma	16
Alloeoneurus	19	Blepharipoda	24	Chelisia	28	Cyrtoneura	27
Alloeostylus	27	Blepharomyia	25	Chersodromia	18	Dactylolabis	13
Allognota	29	Blepharoptera	30	Chilosia	21	Degeeria	24
Allophyla	30	Boletina	9	Chilotrichia	13	Demoticus	25
Alophora	25	Bolitophila	10	Chironomus	11	Desmometopa	35
Amalopsis.....	14	Bombylius	16	Chirosia	29	Dexia	26
Amaurosoma.....	29	Borborus	36	Chloromyia	15	Dexiosoma	26
Anacampta	31	Bothria	24	Chloropisca	35	Diadocidia	10
Anachætopsis	25	Brachycampta	9	Chlorops	35	Dialineura	16
Anaclinia	9	Brachychæta	24	Chorisops	15	Diamesa	11
Anarete	10	Brachycoma	26	Chortophila	28	Diaphorus	19
Anatella	9	Brachyopa	22	Chromatomyia	35	Diastata	33
Anepsius.....	20	Brachypalpus	22	Chrysochlamys.....	22	Dichæta	33
Anisomera	14	Bradysia.....	8	Chrysogaster.....	21	Dicranomyia	13
Anomœa.....	32	Braula.....	36	Chrysomyza	32	Dicranota	14
Anopheles	12	Cacoxenus	35	Chrysonotus	15	Dictenidia	14
Anthomyia.....	28	Cænia	34	Chrysopilus	15	Didea	21
Anthomyza	33	Callicera	23	Chrysops.....	15	Digonochaeta.....	25
Anthracomylia	24	Callimyia	20	Chrysotimus	20	Dilophus.....	10
Anthracophaga ..	35	Calliphora	27	Chrysotoxum	23	Dinera	26
Anthrax	16	Calliprobola	23	Chrysotus	19	Dioctria	16
Antipalus	16	Calobata	31	Chyliza	31	Diplosis	8
Antocha	13	Camarota	35	Clidogastra	30	Diplotoxæ	35
Aphrosylus	20	Campsienemus	19	Clinocera	17	Dirrhiza	8
Aporomyia.....	24	Camptocladius	11	Clista	26	Discocerina	34
Arctophila	23	Campylochæta	24	Clunio	12	Discochæta	25
Ardoptera	17	Campylomyza	8	Clytia	26	Discomyza	34
Argyra.....	19	Canace.....	34	Cnemodon	21	Ditomyia	10
Ascia	22	Caricea	29	Cnemopogon	29	Dixa	13
Asilus	16	Carphotricha	32	Cœlomyia	29	Docosia	9
Asindulum.....	10	Catabomba	21	Cœlopa	30	Dolichopeza	14
Asphondylia	7	Catocha	8	Cœlosia	9	Dolichopus.....	18
Aspistes	10	Cecidomyia	7	Cœnosia	29	Doros	22
Astia	36	Centor.....	35	Conicera	36	Dorycera.....	31
Atherigona.....	29	Cephenomyia	23	Coniosternum	30	Drapetis	17

	PAGE		PAGE		PAGE		PAGE
Drosophila.....	34	Hecamede	34	Lispe	29	Myiostoma.....	26
Drymia	28	Heleodromia.....	17	Lissa	31	Myopa.....	23
Dryomyza	30	Helomyza	30	Loewia	24	Myopites.....	32
Dynatosoma	8	Helophilus.....	22	Lonchæa.....	32	Myxexorista	23
Dysaletria	18	Hemerodromia.....	17	Lonchoptera	20	Napomyza	35
Dysmachus	16	Henicita	33	Lophosia.....	25	Nemopoda	33
Eccoptomera.....	30	Hercostomus	19	Loxocera.....	31	Nemoræa	26
Echinomyia	25	Heteromyza	30	Loxodesma.....	31	Nemotelus	15
Ectomus	19	Heteroneura	30	Lucilia.....	27	Neoitamus	16
Elachyptera	35	Heteronychia	26	Lucina.....	30	Neottiophilum	31
Elaphropeza	18	Hilara	17	Machærium	19	Nephrocerus.....	20
Elgiva	31	Hippobosca	36	Machimus	16	Nephrotoma	14
Empalia	9	Homalomyia.....	29	Macquartia	24	Neurigona	18
Empeda	13	Hoplogaster	29	Macrocera	10	Neuroctena	31
Empheria	9	Hormomyia	8	Macronychia	26	Norellia	29
Empis	17	Hyadina	34	Macroprosopa	24	Noterophila	34
Engyops	26	Hybos	16	Macrorchis	28	Notiphila	33
Ensina.....	32	Hydrellia	34	Madiza	33	Nycteribia	36
Ephelia	13	Hydromyza	29	Mallota	22	Nyctia	26
Ephippium	15	Hydrophoria.....	28	Masicera.....	23	Ochthera	34
Ephydra	34	Hydrophorus	19	Medeterus	19	Ochthiphila	35
Epicampocera	23	Hydrotæa	28	Meigenia	23	Ocydromia.....	17
Epidapus	8	Hyetodesia	27	Melangyna.....	21	Ocyptera	25
Epidosis	8	Hygroceleuthus ..	18	Melanochila	28	Ocypterula.....	25
Epiphragma	14	Hylemyia	28	Melanophora.....	26	Odontomyia	15
Epitriptus	16	Hypoderma	23	Melanostolus.....	19	Oecothæa.....	30
Erigone	25	Hypophyllus.....	19	Melanostoma	21	Oelalea	17
Erioptera	13	Hypostena	25	Melanota	24	Oedoparea	30
Eristalis	22	Hystriehopsylla ..	7	Melophagus	36	Oestrus	23
Euaesta.....	32	Ictericæ	32	Meriania.....	23	Olivieria	25
Eumerus.....	22	Idia	27	Merodon	22	Oncodes	16
Euphoria	27	Idioptera	13	Meromyza	35	Oncomyia	23
Eurina.....	35	Ilythea	34	Mesembrina	27	Onesia	26
Eurycnemus	11	Ischyrosyrphus ..	21	Metopia	26	Opetia	20
Eustalomyia	28	Isopogon.....	16	Metopina	36	Ophyra	28
Eutarsus.....	18	Kowarzia	17	Metopodia	26	Opomyza	33
Euthyneura	17	Lamprochromus ..	20	Metriocnemus	11	Oreogeton	17
Eutolmus	16	Laphria	16	Microchrysa	15	Orimarga	13
Eutropha	35	Lasiopogon	16	Microdon	23	Ornithomyia	36
Exechia	9	Lasiops	28	Micromorphus	20	Orphnephila	12
Exorista	23	Lasioptera	7	Micromyia	8	Ortalis	31
Fabricia	25	Lasiosoma	9	Micronychia	24	Orthochile	19
Fortisia	26	Lauxania	33	Micropalpus	25	Orthocladus	11
Frauenfeldia.....	26	Leia	9	Micropeza	31	Orthoneura	21
Frontina.....	24	Lepidomyia	17	Microphorus	17	Orygma	30
Fucellia	29	Leptis	15	Microprosopa	30	Oscinis	35
Fucemyia	30	Leptogaster	16	Milichia	35	Oxycera	15
Gastrophilus.....	23	Leptomorphus	9	Miltogramma	26	Oxypterum	36
Geomyza.....	33	Leptopa	29	Mintho	24	Pachygaster	15
Geranomyia	13	Leptopeza	17	Mochlonyx.....	12	Pachymeria	17
Germaria	24	Lestremia	8	Molophilus.....	13	Pachyrrhina	14
Glaphyoptera.....	9	Leucophenga	34	Monochaeta	24	Palloptera ..	32
Glenanthe	34	Leucopis.....	35	Monoclona.....	10	Pamponerus	16
Gloma	17	Leucostola	19	Morellia	27	Paragus	20
Gonia	24	Leucozona	21	Mosillus	34	Parallelomma	29
Goniomyia	13	Liancalus	19	Musca	27	Parhydra	34
Gonyglossum	32	Limnia	31	Mycetaulus	33	Pedicia	14
Graphomyia	27	Limnobia	13	Mycetobia	10	Pegomyia	29
Gymnochæta.....	23	Limnophila	14	Mycetophila	8	Pelatachina	24
Gymnamera	30	Limnophora	28	Mycophaga	28	Pelecocera	22
Gymnophora.....	36	Limosina	36	Mycothera	9	Peleteria	25
Gymnopternus.....	19	Liogaster	21	Mydæa	27	Peletrophila	33
Gymnosoma	25	Liogma	14	Myiatropa	22	Pelidnoptera.....	31
Hæmatobia	27	Lionmyza	35	Myiobia	25	Pelina	34
Hæmatopota.....	15	Lipara	35	Myiocera	26	Peplomyza.....	32
Halmopota.....	34	Lipoptena	36	Myiolepta	22	Perichæta	24
Haplegis.....	35	Lipsothrix	13	Myiospila	27	Pericoma	12

PAGE	PAGE	PAGE	PAGE
Peronecera..... 14	Ptilonota 31	Sicus 23	Thelaira 24
Phæomyia 31	Ptilops..... 24	Simulium 10	Thelymorpha 24
Phalacrocera..... 14	Ptiolina 15	Siphona 25	Themira 33
Pharyngomyia 23	Ptychoneura 25	Siphonella 35	Thereva 16
Phasia 25	Ptychoptera 13	Sisyropa 24	Theria 26
Philhygria 34	Pulex 7	Somolia 24	Therioplectes 15
Philonicus 16	Pyrellia 27	Spania 15	Thinophilus 20
Phora 36	Pyrophæna 21	Sphærocera 36	Thrypticus..... 19
Phorbia 28	Ragas 17	Sphærophoria 22	Thryptocera 25
Phorichæta 25	Redtenbacheria .. 26	Spathiophora 30	Thyreophora..... 30
Phorocera 24	Rhacochlæna 32	Sphecolyma 27	Tichomyza..... 34
Phronia 9	Rhadiurgus 16	Sphegina..... 22	Tipula 14
Phthiria 16	Rhagoletis 32	Sphenella .. 32	Toxoneura 32
Phycodroma 30	Rhamphidia 13	Sphixapata 26	Trichina 17
Phyllomyza 35	Rhamphomyia 16	Spilogaster..... 27	Trichocera 14
Physocephala 23	Rhaphium 19	Spilographa 32	Trichomyia 12
Phyto 26	Rhienoëssa..... 33	Stauferia..... 25	Trichonta 9
Phytomyza 35	Rhingia 22	Stegana 34	Trichopalpus 30
Piezura 29	Rhinophora 26	Stenopteryx 36	Trichopeza..... 17
Piophila 33	Rhipidia 13	Stevenia 26	Trichopticus..... 28
Pipiza 21	Rhymosia 9	Stilpon 17	Trichopsylla 7
Pipizella 21	Rhynchista 25	Stomatomyia 24	Trichosia 8
Pipunculus 20	Rhypholophus 13	Stomoxys 27	Trigonometopus .. 30
Plagia 25	Rhyphus 14	Stomphastica 30	Trimerina 34
Platycephala..... 35	Rivellia 32	Stratiomys..... 15	Trimicra..... 13
Platychirus 21	Roeselia 25	Sycorax 12	Trineura..... 36
Platycnema 20	Saltella 33	Symphoromyia..... 15	Trixa 26
Platyparea..... 32	Sapromyza..... 32	Symplecta 13	Tropidia 22
Platypeza 20	Sarcophaga 26	Sympycnus 20	Trypeta 32
Platyphora 36	Sarcophila 26	Syntormon..... 19	Typhlopsylla..... 7
Platystoma 32	Sargus..... 15	Syritta 22	Ula 14
Platyura..... 10	Scaptomyza 34	Syrphus 21	Ulidia 32
Plesiastina 10	Scatella 34	Tabanus 15	Ulomyia 12
Pocota 22	Scatophaga 30	Tachina 24	Urellia..... 32
Pœcilobothrus 18	Scatophila 34	Tachista 18	Urophora 32
Pœcilostola 14	Scatopse 10	Tachydromia..... 18	Urophylla 25
Pogonomyia 28	Scellus..... 19	Tachypeza 18	Verrallia..... 20
Pogonota 29	Scenopinus 16	Tachytrechus 18	Viviania 23
Polietes 27	Sceptonia 9	Tæniorhynchus .. 13	Volucella 22
Pollenia 27	Schizomyia 8	Tanypus 11	Wiedemannia 17
Polylepta 9	Schoenomyza..... 35	Tanytarsus 11	Winnertzia 8
Porphyrops 19	Schoenophilus 20	Tephritis 32	Xanthandrus 21
Prosenia 26	Sciara 8	Tephrochlamys .. 30	Xanthochlorus..... 20
Protocalliphora .. 27	Sciiodromia..... 17	Tephromyia 26	Xanthogramma .. 22
Psalida 25	Sciomyza 31	Tetanocera..... 31	Xiphandrium 19
Psila..... 31	Sciophila..... 10	Tetanops..... 31	Xiphura 14
Psilocephala 16	Scoliocentra 30	Tetanura 33	Xylomyia 15
Psilopa 34	Selachops 35	Tethina 33	Xylophagus 16
Psilopus 18	Seoptera .. 32	Tetragoneura 9	Xylota..... 22
Psilosoma 31	Sepedon 31	Teucophorus..... 20	Zodion..... 23
Psilota..... 21	Sepsis 33	Thalassomyia 11	Zophomyia 25
Psychoda 12	Sericomyia..... 23	Thamnodromia .. 17	Zygomomyia 9
Pteropæctria..... 31	Servillia 25	Thaumastoptera .. 13	Zygoneura 8

PART II.

ADDITIONAL
SPECIES ORIGINALLY DESCRIBED FROM BRITAIN,
BUT PROBABLY UNRECOGNIZABLE UNLESS FROM TYPES.

CHIRONOMIDÆ.**CHIRONOMUS, Mg.**

dissidens, *Wlk.*
 ejuncidus, *Wlk.*
 eminulus, *Wlk.*
 futilis, *Wlk.*
 notescens, *Wlk.*
 objectans, *Wlk.*
 perlevis, *Wlk.*
 dispessus, *Wlk.*
 mancus, *Wlk.*
 convictus, *Wlk.*
 incertus, *Wlk.*
 tritus, *Wlk.*
 modicellus, *Wlk.*
 disclusus, *Wlk.*
 inopertus, *Wlk.*
 occipiens, *Wlk.*
 obnixus, *Wlk.*
 pulsus, *Wlk.*
 malacus, *Wlk.*
 imbecillis, *Wlk.*
 obreptans, *Wlk.*
 trichopus, *Wlk.*
 pallidicornis, *Wlk.*
 discrepans, *Wlk.*

enotatus, *Wlk.*
 involitans, *Wlk.*
 convectus, *Wlk.*
 separatus, *Wlk.*
 irretitus, *Wlk.*
 morulus, *Wlk.*
 patibilis, *Wlk.*
 obvius, *Wlk.*
 impar, *Wlk.*
 incoactus, *Wlk.*
 conversus, *Wlk.*
 zonarius, *Wlk.*
 intextus, *Wlk.*
 oppetitus, *Wlk.*
 marcidus, *Wlk.*
 obvertens, *Wlk.*
 convestitus, *Wlk.*
 perreptans, *Wlk.*

hebescent, *Wlk.*
 lentulus, *Wlk.*
 perpessus, *Wlk.*
 inscendens, *Wlk.*
 minusculus, *Wlk.*
 ingratus, *Wlk.*
 nexilis, *Wlk.*
 inserpens, *Wlk.*
 moerens, *Wlk.*
 irritus, *Wlk.*
 intrudens, *Wlk.*
 pervulsus, *Wlk.*
 excerptus, *Wlk.*
 nactus, *Wlk.*
 oblidens, *Wlk.*
 effusus, *Wlk.*
 incomptus, *Wlk.*
 persidens, *Wlk.*
 obditus, *Wlk.*
 exspatiens, *Wlk.*
 pertenuis, *Wlk.*
 permacer, *Wlk.*
 incallidus, *Wlk.*
 obsepiens, *Wlk.*
 paganicus, *Wlk.*
 oppertus, *Wlk.*
 novatus, *Wlk.*
 offectus, *Wlk.*
 opplens, *Wlk.*
 nitidicollis, *Wlk.*
 pergens, *Wlk.*
 obtexens, *Wlk.*
 deproperans, *Wlk.*
 obsistens, *Wlk.*
 pertractus, *Wlk.*
 moturus, *Wlk.*
 denotatus, *Wlk.*
 alligatus, *Wlk.*
 adjunctus, *Wlk.*
 coæquatus, *Wlk.*
 appositus, *Wlk.*
 perexilis, *Wlk.*
 compertus, *Wlk.*
 contingens, *Wlk.*
 fertus, *Wlk.*
 habilis, *Wlk.*

ictericus, *Wlk.*
 parilis, *Wlk.*
 affinis, *Wlk.*
 patens, *Wlk.*
 cingulatus, *Wlk.*
 expalans, *Wlk.*
 interseptus, *Wlk.*
 impensus, *Wlk.*
 nugax, *Wlk.*
 divisus, *Wlk.*

LEPTIDÆ.**LEPTIS, F.**

inutilis, Wlk.

EMPIDÆ.**RHAMPHOMYIA, Mg.**

saniculæ, Curt.

EMPIS, L.

gracilis, Curt.
unicolor, Wlk.
bistortæ, Wlk.

TACHINIDÆ.**TACHINA, Mg.**

flexa, Wlk.
interna, Wlk.
dispartita, Wlk.
disjuncta, Wlk.
nigrolineata, Wlk.
discrepans, Wlk.
immissa, Wlk.
retracta, Wlk.
comitata, Wlk.
intersecta, Wlk.
insuscepta, Wlk.
commissa, Wlk.
defecta, Wlk.

DEXIA, Mg.

figens, Wlk.

PART III.

ADDITIONAL
REPUTED BRITISH DIPTERA.

PULICIDÆ.

TYPHLOPSYLLA,
Tasch.

assimilis, *Tasch.*
orientalis, *Wagn.*

MYCETOPHILIDÆ.

CEROPLATUS, *Bosc.*
sesioides, *Whlbg.*

CULICIDÆ.

CULEX, *L.*
bicolor, *Mg.*

ASILIDÆ.

ISOPOGON, *Lw.*
hottentotus, *F.*

DYSMACHUS, *Lw.*
forcipatus, *L.*

THEREVIDÆ.

DIALINEURA, *Rnd.*
fuscipennis, *Mg.*

DOLICHOPODIDÆ.

NEURIGONA, *Rnd.*
Erichsonii, *Ztt.*

LONCHOPTERIDÆ.

LONCHOPTERA, *Mg.*
trilineata, *Ztt.*

PLATYPEZIDÆ.

PLATYPEZA, *Mg.*
boletina, *Fln.*

SYRPHIDÆ.

PARAGUS, *Ltr.*
albifrons, *Fln.*

CHILOSIA, Mg.

pubera, *Ztt.*
chloris, *Mg.*
olivacea, *Ztt.*

PLATYCHIRUS,

St. Farg.
latimanus, *Whlbg.*

SYRPHUS, *F.*
nigritarsis, *Ztt.*

CONOPIDÆ.

CONOPS, *L.*
vitellina, *Lw.*

TACHINIDÆ.

MASICERA, *Mcq.*
usta, *Ztt.*

EXORISTA, Mg.

hortulana, *Mg.*
arvensis, *Mg.*
volatica, *Mcq.*
angustipennis, *Mg.?*
heraclei, *Mg.*
laticella, *Mcq.*
consanguinea, *Mcq.*
impavida, *Mcq.*
pallipes, *Fln.*
parens, *Rnd.*

PHOROCERA, *Dsv.*
angusta, *Mcq.*

EXORISTA, Mg.

aratoria, *Mg.*
grandis, *Ztt.*

TRIXA, Mg.

dorsalis, *Mg.*
variegata, *Mg.*

NEMORÆA, *Dsv.*
histrion, *Mg.*

TACHINA, Mg.

morosa, *Mg.*
terminalis, *Mg.*

PHOROSTOMA, *Dsv.*
maritima, *Schin.*

ANTHOMYIDÆ.

LIMNOPHORA, *Dsv.*
albifrons, *Rnd.*

PEGOMYIA, *Dsv.*
hyoscyami, *Pz.*
Winthemi, *Mg.*

CORDYLURIDÆ.

MICROPROSOPA, *Beck.*
pallicauda, *Ztt.*

SCIOMYZIDÆ.

LUCINA, *Mg.*
maculipes, *Rnd.*

ORTALIDÆ.

PTEROPÆCILA, *Lw.*
lamed, *Schrk.*

TRYPETIDÆ.

TRYPETA, *Mg.*
matricariæ, *Lw.*

SAPROMYZIDÆ.

SAPROMYZA, *Fln.*
platycephala, *Lw.*

GEOMYZIDÆ.

DIASTATA, *Mg.*
fumipennis, *Mg.*
basalis, *Mg.*

PHYTOMYZIDÆ.

PHYTOMYZA, *Fln.*
nigricornis, *Mcq.*
chaerophylli, *Kalt.*

BORBORIDÆ.

LIMOSINA, *Mg.*
cilifera, *Rnd.*

PHORIDÆ.

PHORA, *Ltr.*
nigricornis, *Egg.*

